


AMENDMENTS TO THE CLAIMS

1. (Currently Amended) [[A]] The benzoxazinone-derived sulfonamide compound of formula (I) according to claim 70



(I),

wherein

R¹, R², R³, R⁴ are each independently selected from the group consisting of hydrogen, halogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, -OR¹⁰, -

OC(=O)R^{11} , -(C=O)-OR^{11} , -SR^{12} , -SOR^{12} , $\text{-SO}_2\text{R}^{12}$, $\text{-NH-SO}_2\text{R}^{12}$, $\text{-SO}_2\text{NH}_2$ and a $\text{-NR}^{13}\text{R}^{14}$ moiety,

R^5 represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical,

R^6 , R^7 , R^8 , R^9 are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, a cyano group and a -COOR^{15} moiety,

W represents an unbranched or branched, saturated or unsaturated aliphatic radical, which may be substituted by one or more substituents selected from the group consisting of hydroxy, halogen, branched or unbranched C_{1-4} -alkoxy, branched or unbranched C_{1-4} -perfluoroalkoxy, branched or unbranched C_{1-4} -perfluoroalkyl, amino, carboxy, amido, cyano, nitro, $\text{-SO}_2\text{NH}_2$, -CO-C_{1-4} -alkyl, -SO-C_{1-4} -alkyl, $\text{-SO}_2\text{-C}_{1-4}$ -alkyl, $\text{-NH-SO}_2\text{-C}_{1-4}$ -alkyl, wherein the C_{1-4} -alkyl may in each case be branched or unbranched, an unsubstituted or at least monosubstituted phenyl or naphthyl radical and an unsubstituted or at least monosubstituted furanyl, thienyl, pyrrolyl, imidazolyl, pyrazolyl, pyridinyl, pyrimidinyl, quinolinyl and isoquinolinyl radical, whereby said substituents may be at least mono-substituted with F, Cl, methyl and methoxy,

a saturated or unsaturated, optionally at least one heteroatom as ring member containing cycloaliphatic radical whereby said cycloaliphatic radical may be substituted by one or more substituents selected from the group consisting of hydroxyl, nitro, carboxy, cyano, keto, halogen, C_{1-20} -alkyl, partially fluorinated C_{1-4} alkyl, partially chlorinated C_{1-4} alkyl, partially brominated C_{1-4} alkyl, C_{1-5} -alkoxy, partially fluorinated C_{1-4} alkoxy, C_{2-6} -alkenyl, $\text{SO}_2\text{-C}_{1-4}$ -alkyl, -(C=O)-C_{1-4} -

$_5$ -alkyl, $-(C=O)-O-C_{1-5}$ -alkyl, $-(C=O)-Cl$, $-S-C_{1-4}$ -alkyl-, $-(C=O)-H$, $-NH-(C=O)-NH-C_{1-5}$ -alkyl, $-(C=O)-C_{1-4}$ -perfluoroalkyl, $-NR^A R^B$, wherein R^A and R^B are independently selected from the group consisting of H, C_{1-4} -alkyl and phenyl,

$NH-(C=O)-C_{1-5}$ -alkyl, $-C_{1-5}$ -alkylen- $(C=O)-C_{1-5}$ -alkyl, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl), N-Phthalimidinyl-, (1,3-Dioxo-2-azaspiro[4,4]-non-2-yl, substituted or unsubstituted phenyl, $-SO_2$ -phenyl, phenoxy, pyridinyl, pyridinyloxy, pyrazolyl, pyrimidinyl, pyrrolidinyl-, $-SO_2$ -pyrrolidinyl, morpholinyl, SO_2 -morpholinyl-, thiadiazolyl, oxadiazolyl, oxazolyl, thiazolyl, isoxazolyl, O- CH_2 -thiazolyl, $-NH$ -phenyl, and $-C_{1-4}$ -Alkylen- $NH-(C=O)$ -phenyl,

whereby said substituents may be substituted by one or more substituents selected from the group consisting of halogen, nitro, cyano, hydroxyl, $-(C=O)-C_{1-4}$ -alkyl, C_{1-4} -alkyl, at least partially fluorinated C_{1-4} -alkyl, at least partially chlorinated C_{1-4} -alkyl, at least partially brominated C_{1-4} -alkyl, $-(C=O)-O-C_{1-5}$ -alkyl, $-(C=O)-CH_2-F$, $-(C=O)-CH_2-Cl$ and $-(C=O)-CH_2-Br$,

and whereby said cycloaliphatic radical may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted aromatic mono- or polycyclic ring-system,

an optionally at least mono-substituted heteroaryl radical, which may be bonded via an optionally mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

an optionally at least mono-substituted, monocyclic aryl radical, which is condensed with an optionally at least mono-substituted mono- or polycyclic ring-system and which may be bonded via an optionally at least mono-substituted alkylene group,

a $-NR^{16}R^{17}$ -moiety,

a $-COR^{18}$ -moiety,

or a phenyl radical, which is at least mono-substituted with one of the substituents selected from the group consisting of:

2,2,2,-Trifluoroethoxy-, C₂₋₆-Alkenyl-, 1,3-Dihydro-1-oxo-2H-isoindol-2-yl-, N-Phthalimidinyl-, [(2-chloro-1,3-thiazolyl-5-yl)-methoxy, Ethyl-5-yl-2-methyl-3-furoate, C₁₁₋₂₀-alkyl-, 1,3-Dioxo-2-azaspiro[4,4]non-2-yl-, pyrazolyl-, (1,3-oxazol-5-yl)-, (5-Methyl-1,3,4-oxadiazol-2-yl)-, difluoromethoxy, dichloromethoxy, 1-pyrrolidinylsulfonyl, morpholinosulfonyl, 2-methyl-4-pyrimidinyl-, a phenoxy group, which is at least mono-substituted with C₁₋₅-alkoxy, a phenyl group, which is at least mono-substituted with one of the substituents selected from the group consisting of nitro, C₁₋₅-alkoxy, F, Cl, Br, at least partially fluorinated C₁₋₅-alkyl, at least partially chlorinated C₁₋₅-alkyl, [(2-Chloro-1,3-thiazol-5-yl)-methoxy]-, -(C=O)-H and -(C=O)-C₁₋₅-alkyl, a pyridinyl group, which is at least mono-substituted with C₁₋₅-alkoxy, a pyridinyloxy group, which is at least mono-substituted with C₁₋₅-alkoxy, a phenoxy group, which is at least di-substituted and a pyridinyloxy group, which is at least di-substituted,

with the proviso that W does not represent unsubstituted furyl-, unsubstituted thienyl- or thienyl substituted with a substituent selected from the group consisting of C₁₋₅-alkoxycarbonyl, C₁₋₅-alkylcarbonyl, carboxyl and pyridyl, unsubstituted pyrrolyl-, unsubstituted naphthyl, unsubstituted indolyl, unsubstituted tetrahydronaphthyl, substituted or unsubstituted pyridyl, unsubstituted pyrazinyl, unsubstituted quinolinyl-, C₁₋₅-alkylsubstituted pyrrolyl-, and unsubstituted cyclohexyl or cyclohexyl substituted with one or two members selected from the group consisting of oxo, hydroxyl, C₁₋₅-alkoxyl, C₁₋₅-alkoxy-carbonylamino-C₁₋₅ alkyl and amino-C₁₋₅ alkyl,

R¹⁰ represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be

bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{11} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{12} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{13} and R^{14} each are independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member

containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

or R^{13} and R^{14} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member,

R^{15} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{16} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{17} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, and

R^{18} represents an optionally at least mono-substituted aryl radical,

optionally in form of one of its stereoisomers, its racemate or in form of a mixture of at least two of its stereoisomers, in any mixing ratio, or a corresponding salt thereof.

2. (Currently Amended) The compound according to ~~claim 4~~ claim 70, wherein R^1 , R^2 , R^3 , R^4 are each independently selected from the group consisting of H, F, Cl, Br, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano, $-OR^{10}$, $-OC(=O)R^{11}$, $-SR^{12}$, $-SOR^{12}$, $-SO_2R^{12}$, $-NH-SO_2R^{12}$, $-SO_2NH_2$ and a $-NR^{13}R^{14}$ moiety.

3. (Currently Amended) The compound according to ~~claim 4~~ claim 70, wherein R^5 represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical.

4. (Currently Amended) The compound according to ~~claim 4~~ claim 70, wherein R^6 , R^7 , R^8 , R^9 are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, a cyano group and a $-COOR^{15}$ moiety.

5. (Currently Amended) The compound according to ~~claim 4~~ claim 70, wherein W represents an unbranched or branched C_{11-20} -alkyl radical, which may be substituted by one or more substituents selected from the group consisting of:
hydroxyl, halogen, branched or unbranched C_{1-4} -alkoxy, branched or unbranched C_{1-4} -perfluoroalkoxy, branched or unbranched C_{1-4} -perfluoroalkyl, amino, carboxy, amido, cyano, nitro-, $-SO_2NH_2$, $-CO-C_{1-4}$ -alkyl, $-SO-C_{1-4}$ -alkyl,

-SO₂-C₁₋₄-alkyl, -NH-SO₂-C₁₋₄-alkyl, wherein the -C₁₋₄-alkyl may in each case be branched or unbranched, an unsubstituted or at least mono-substituted phenyl or naphthyl radical and an unsubstituted or at least mono-substituted furanyl, thienyl, pyrrolyl, imidazolyl, pyrazolyl, pyridinyl, pyrimidinyl, quinolinyl and isoquinolinyl radical, whereby said substituents may be at least mono-substituted with F, Cl, methyl and methoxy;

a naphthyl group, which is at least ~~mono-substituted~~, mono-substituted; a quinolinyl group, which is at least ~~mono-substituted~~, mono-substituted; a pyrrolyl group, which is at least mono-substituted by a substituent other than C₄₋₅-alkyl, C₁₋₅-alkyl; an optionally at least mono-substituted thiazolyl-, benzo[b]-thiophenyl-, benzo[b]-furanyl-, isoquinolinyl-, tetrahydroisoquinolinyl-, pyrazolyl-, isoazolyl-, chromanyl-, benzothiadiazolyl-, imidazolyl-, benzofurazanyl-, dibenzo[b,d]-furanyl-, benzoxadiazolyl-, imidazo[2,1-b]-thiazolyl-, anthracenyl-, coumarinyl-, 2,3-Dihydro-1,4-benzodioxinyl-, 2,3-Dihydrobenzo[b]furanyl-, 3,4-Dihydro-2H-1,4-Benzoxazinyl-, 3,4-Dihydro-2H-1,5-Benzodioxepinyl-, Benzothiazolyl-, Imidazo[1,2-a]-pyridinyl-, a chromonyl- group, an isatinyl group, a pentamethyldihydrobenzofuranyl ~~group~~, group; an optionally at least mono-substituted cyclopropyl- or cyclopentyl-group, whereby said cyclopropyl or cyclopentyl group may be substituted by one or more substituents selected selected from the group consisting of:

hydroxyl, nitro, carboxy, cyano, keto, halogen, C₁₋₂₀-alkyl, partially fluorinated C₁₋₄ alkyl, partially chlorinated C₁₋₄ alkyl, partially brominated C₁₋₄ alkyl, C₁₋₅-alkoxy, partially fluorinated C₁₋₄ alkoxy, partially chlorinated C₁₋₄ alkoxy, partially brominated C₁₋₄ alkoxy, C₂₋₆-alkenyl, SO₂-C₁₋₄-alkyl, -(C=O)-C₁₋₅-alkyl, -(C=O)-O-C₁₋₅-alkyl, -(C=O)-Cl, -S-C₁₋₄-alkyl-, -(C=O)-H, -NH-(C=O)-C₁₋₅-alkyl, -C₁₋₅-alkylen-(C=O)-C₁₋₅-alkyl, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl), N-Phtalimidinyl-, (1,3-Dioxo-2-azaspiro[4,4]-non-2-yl, substituted or unsubstituted phenyl, -SO₂-phenyl, phenoxy, pyridinyl, pyridinyloxy, pyrazolyl, pyrimidinyl, pyrrolidinyl-, -SO₂-pyrrolidinyl, morpholinyl, SO₂-morpholinyl-, thiaidiazolyl, oxadiazolyl, oxazolyl, thiazolyl, isoxazolyl, O-CH₂-thiazolyl, NH-phenyl, and -C₁₋₄-Alkylen-NH-(C=O)-phenyl,

whereby said substituents may be substituted by one or more substituents selected from the group consisting of halogen, nitro, cyano, hydroxyl, -(C=O)-C₁₋₄-alkyl, C₁₋₄-alkyl, at least partially fluorinated C₁₋₄-alkyl, at least partially

chlorinated C₁₋₄-alkyl, at least partially brominated C₁₋₄-alkyl, -S-C₁₋₄-alkyl, -C(=O)-O-C₁₋₅-alkyl, -(C=O)-CH₂-F, -(C=O)-CH₂-Cl and -(C=O)-CH₂-Br, = (C=O)-CH₂-Br;

~~a 2-(1,3-Dioxo-1,3-dihydro-isoindol-2-yl)-ethyl, 2-(1,3-Dioxo-1,3-dihydro-isoindol-2-yl)-ethyl;~~ a thienyl group, which is at least mono-substituted by one or more substituents independently selected from the group consisting of F, Cl, Br, C₁₋₅-alkoxy-, CF₃-, -SO₂-C₁₋₅-alkyl and optionally at least mono substituted benzoylaminomethyl-, phenylsulfonyl-, isoxazolyl-, benzamidomethyl-, pyrimidyl-, thiazolyl-, pyrazolyl-, phenyl-, 1,2,4-thiadiazolyl-, 1,3-oxazolyl- or 1,2,4-oxadiazolyl-, 1,2,4-oxadiazolyl-; a furyl group, which is at least mono-substituted by one or more substituents independently selected from the group consisting of a C₁₋₅-alkyl radical, which may be at least partially fluorinated or chlorinated, an optionally at least mono-substituted phenyl and a -(C=O)-O-C₁₋₅-alkyl group, group;

~~a NR¹³R¹⁷-moiety,~~

~~a COR¹⁸-moiety,~~

a NR¹⁶R¹⁷-moiety;

a COR¹⁸-moiety;

or a phenyl radical, which is at least mono-substituted with one of the substituents selected from the group consisting of:

~~2,2,2-Trifluoroethoxy, C₂₋₆-Alkenyl, 1,3-Dihydro-1-oxo-2H-isoindol-2-yl, N-Phthalimidinyl, [(2-chloro-1,3-thiazol-5-yl)-methoxy, Ethyl-5-yl-2-methyl-3-furoate, C₄₋₂₀-alkyl, 1,3-Dioxo-2-azaspiro[4,4]non-2-yl, pyrazolyl, (1,3-oxazol-5-yl), (5-Methyl-1,3,4-oxadiazol-2-yl), difluoromethoxy, dichloromethoxy, 1-pyrrolidinylsulfonyl, morpholinesulfonyl, 2-methyl-4-pyrimidinyl, a phenoxy group, which is at least mono-substituted with C₄₋₅-alkoxy, a phenyl group, which is at least mono-substituted with one of the substituents selected from the group consisting of nitro, C₁₋₅-alkoxy, F, Cl, Br,~~

~~at least partially fluorinated C₁₋₅-alkyl, at least partially chlorinated C₁₋₅-alkyl, [(2-Chloro-1,3-thiazol-5-yl)-methoxy]-, -(C=O)-H and -(C=O)-C₁₋₅-alkyl, a pyridinyl group, which is at least mono-substituted with C₁₋₅-alkoxy, a pyridinyloxy group, which is at least mono-substituted with C₁₋₅-alkoxy, a phenoxy group, which is at least di-substituted and a pyridinyloxy group, which is at least di-substituted~~

2,2,2,-Trifluoroethoxy-; C₂₋₆-Alkenyl-; 1,3-Dihydro-1-oxo-2H-isoindol-2-yl-, N-Phthalimidinyl-; [(2-chloro-1,3-thiazolyl-5-yl)-methoxy; Ethyl-5-yl-2-methyl-3-furoate; C₁₁₋₂₀-alkyl-; 1,3-Dioxo-2-azaspiro[4,4]non-2-yl-; pyrazolyl-, (1,3-oxazol-5-yl)-; (5-Methyl-1,3,4-oxadiazol-2-yl)-; difluoromethoxy; dichloromethoxy; 1-pyrrolidinylsulfonyl; morpholinosulfonyl; 2-methyl-4-pyrimidinyl-; a phenoxy group, which is at least mono-substituted with C₁₋₅-alkoxy; a phenyl group, which is at least mono-substituted with one of the substituents selected from the group consisting of nitro, C₁₋₅-alkoxy, F, Cl, Br, at least partially fluorinated C₁₋₅-alkyl, at least partially chlorinated C₁₋₅-alkyl, [(2-Chloro-1,3-thiazol-5-yl)-methoxy]-, -(C=O)-H and -(C=O)-C₁₋₅-alkyl; a pyridinyl group, which is at least mono-substituted with C₁₋₅-alkoxy; a pyridinyloxy group, which is at least mono-substituted with C₁₋₅-alkoxy; a phenoxy group, which is at least di-substituted; and a pyridinyloxy group, which is at least di-substituted.

6. (Currently Amended) The compound according to ~~claim 1~~ claim 70, wherein R¹⁰ represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system.

7. (Currently Amended) The compound according to ~~claim 4~~ claim 70, wherein R^{11} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system.

8. (Currently Amended) The compound according to ~~claim 4~~ claim 70, wherein R^{12} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system.

9. (Currently Amended) The compound according to ~~claim 4~~ claim 70, wherein R^{13} and R^{14} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-

substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system.

10. (Currently Amended) The compound according to ~~claim 4~~ claim 70, wherein R¹³ and R¹⁴ together with the bridging nitrogen atom form a saturated, unsaturated or aromatic, 5- or 6-membered heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member.

11. (Currently Amended) The compound according to ~~claim 4~~ claim 70, wherein R¹⁵ represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system.

12. (Currently Amended) The compound according to ~~claim 4~~ claim 70, wherein R¹⁶ represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆ aliphatic radical.

13. (Currently Amended) The compound according to ~~claim 4~~ claim 70, wherein R¹⁷ represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆ aliphatic radical.

14. (Currently Amended) The compound according to claim 1, wherein said compound is selected from the group consisting of:


1-[1-(5-Chloro-3-methyl-benzo[b]thiophenyl-2-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(5-Dimethylamino-naphthyl-1-sulfonyl)-piperidine-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one, and

1-[1-(5-Dimethylamino-naphthyl-1-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,


or a corresponding salts salt thereof.

15. (Withdrawn; Currently Amended) A process for the preparation of a benzoxazinone-derived sulfonamide compound of formula (I) according to ~~claim 4~~ claim 70, comprising reacting at least one piperidine compound of formula (II), wherein R¹ to R⁹ have the meaning according to claim 1, and/or a salt, preferably a hydrochloride salt, thereof,



(II)

with at least one compound of general formula (III),



(III)

wherein W has the meaning according to claim 1, in a suitable reaction medium, optionally in the presence of at least one base and/or at least one auxiliary agent.

16. (Withdrawn; Currently Amended) A process for the preparation of a benzoxazinone-derived sulfonamide compound of formula (I) according to ~~claim 1~~ claim 70, comprising reacting, at least one compound of formula (I) having at least one basic group with at least one acid.

17. (Withdrawn; Currently Amended) A process for the preparation of a benzoxazinone-derived sulfonamide compound of formula (I) according to ~~claim 1~~ claim 70, comprising reacting, at least one compound of formula (I) having at least one acidic group with at least one base.


18. (Currently Amended) Medicament comprising at least one benzoxazinone-derived sulphonamide compound according to ~~claim 1~~ claim 70, optionally in form of one of its stereoisomers, its racemate or in form of a mixture of at least two of its stereoisomers in any mixing ratio, or a physiologically acceptable salt thereof, respectively, and optionally one or more pharmaceutically acceptable adjuvants.

19. (Currently Amended) Medicament according to claim 18 for cognitive enhancement, for the prophylaxis and/or treatment of food ingestion (food intake) disorders, particularly for the regulation of appetite, for the maintenance, increase or reduction of body weight, for the prophylaxis and/or treatment of obesity, bulimia, anorexia, cachexia or type II diabetes (Non-Insulin Dependent Diabetes Mellitus),

preferably type II diabetes, which is caused by obesity, disorders of the central nervous system, disorders of the gastrointestinal tract, such as irritable intestine syndrom, anxiety, panic, depression, cognitive memory disorders, senile dementia disorders, such as Morbus Alzheimer, Morbus Parkinson and Morbus Huntington, schizophrenia, psychosis, infantile hyperkinesia or ~~ADHG~~ ADHD (attention deficit, hyperactivity disorders).

20. (Withdrawn; Currently Amended) A method for the treatment and/or prophylaxis of disorders related to cognitive enhancement, food ingestion (food intake) disorders, the regulation of appetite, the maintenance, increase or reduction of body weight, obesity, bulimia, anorexia, cachexia or type II diabetes (Non-Insulin Dependent Diabetes Mellitus), preferably type II diabetes, which is caused by obesity, disorders of the central nervous system, disorders of the gastrointestinal tract, such as irritable intestine syndrom, anxiety, panic, depression, cognitive memory disorders, senile dementia disorders, such as Morbus Alzheimer, Morbus Parkinson and Morbus Huntington, schizophrenia, psychosis, infantile hyperkinesia or ~~ADHG~~ ADHD (attention deficit, hyperactivity disorders), which comprises administering to a patient in need of such a treatment a therapeutically effective amount of a benzoxazinone-derived sulphonamide compound according to ~~claim 1~~ claim 70, optionally in form of one of its stereoisomers, its racemate or in form of a mixture of at least two of its stereoisomers in any mixing ratio, or a physiologically acceptable salt thereof.

21. (Withdrawn; Currently Amended) A method for the treatment and/or prophylaxis of food intake disorders; anxiety; panic; depression; cognitive disorders; preferably memory disorders; senile dementia processes; preferably selected from the group consisting of Morbus Alzheimer, Morbus Parkinson, Morbus Huntington; psychosis; infantile hyperkinesia; ~~ADHG~~ ADHD (attention deficit/hyperactivity disorder); disorders of the gastrointestinal tract, preferably intestine syndrome; schizophrenia or for cognitive enhancement, which comprises administering to a patient in need of such a treatment a therapeutically effective amount of at least one benzoxazinone-derived sulfonamide compound of formula (Ia),



wherein

R^{1a} , R^{2a} , R^{3a} , R^{4a} are each independently selected from the group consisting of hydrogen, halogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, $-OR^{10a}$, $-OC(=O)R^{11a}$, $-(C=O)-OR^{11a}$, $-SR^{12a}$, $-SOR^{12a}$, $-SO_2R^{12a}$, $-NH-SO_2R^{12a}$, $-SO_2NH_2$ and a $-NR^{13a}R^{14a}$ moiety,

R^{5a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical or a

saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical,

R^{6a} , R^{7a} , R^{8a} , R^{9a} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, a cyano group and a $-COOR^{15a}$ moiety,

W^a represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, a $NR^{16a}R^{17a}$ -moiety or a COR^{18a} -moiety,

R^{10a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{11a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{12a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{13a} and R^{14a} each are independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

or R^{13a} and R^{14a} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member,

R^{15a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{16a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{17a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{18a} represents an optionally at least mono-substituted aryl radical,

optionally in form of one of its stereoisomers, its racemate or in form of a mixture of at least two of its stereoisomers, preferably enantiomers or diastereomers, in any mixing ratio, or a physiologically acceptable salt thereof, respectively.

22. (Withdrawn) The method according to claim 21, wherein R^{1a}, R^{2a}, R^{3a}, R^{4a} are each independently selected from the group consisting of H, F, Cl, Br, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, which may be bonded via an optionally at least mono-

substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, -OR^{10a}, -OC(=O)R^{11a}, -SR^{12a}, -SOR^{12a}, -SO₂R^{12a}, -NH-SO₂R^{12a}, -SO₂NH₂ and a -NR^{13a}R^{14a} moiety.

23. (Withdrawn) The method according to claim 21, wherein R^{5a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical.

24. (Withdrawn) The method according to claim 21, wherein R^{6a}, R^{7a}, R^{8a}, R^{9a} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, a cyano group and a -COOR^{15a} moiety.

25. (Withdrawn) The method according to claim 21, wherein W^a represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₂₀ aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈ cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, a NR^{16a}R^{17a}-moiety or a COR^{18a}-moiety.

26. (Withdrawn) The method according to claim 21, wherein R^{10a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system.

27. (Withdrawn) The method according to claim 21, wherein R^{11a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system.

28. (Withdrawn) The method according to claim 21, wherein R^{12a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be

condensed with an optionally at least mono-substituted mono- or polycyclic ring-system.

29. (Withdrawn) The method according to claim 21, wherein R^{13a} and R^{14a} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system.

30. (Withdrawn) The method according to claim 21, wherein R^{13a} and R^{14a} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic, 5- or 6-membered heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member.

31. (Withdrawn) The method according to claim 21, wherein R^{15a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system.

32. (Withdrawn) The method according to claim 21, wherein R^{16a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} aliphatic radical.

33. (Withdrawn) The method according to claim 21, wherein R^{17a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆ aliphatic radical.

34. (Withdrawn) The method according to claim 21, wherein one or more benzoxazinone-derived sulfonamide compounds of formula (Ia) are selected from the group consisting of:

1-[1-(Naphthyl-1-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-(1-Phenylsulfonyl-piperidine-4-yl)-1,4-dihydro-benzo[d][1,3]-oxazin-2-one,

1-[1-(5-Chloro-3-methyl-benzo[b]thiophenyl-2-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

8-Methyl-1-[1-naphthyl-1-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

8-Methyl-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(5-Dimethylamino-naphthyl-1-sulfonyl)-piperidine-4-yl]-8-methyl-1,4-dihydrobenzo[d][1,3]oxazin-2-one,

1-[1-(5-Dimethylamino-naphthyl-1-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(2,3-Dichloro-phenylsulfonyl)-piperidine-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one, and

1-[1-(2,3-Dichloro-phenylsulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one, or

a corresponding salt thereof.

35. (Withdrawn) The method according to claim 21 for the regulation of
appetite.

36. (Withdrawn) The method according to claim 21 for the reduction, increase
or maintenance of body weight.

37. (Withdrawn) The method according to claim 21 for the prophylaxis and/or
treatment of obesity.


38. (Withdrawn) The method according to claim 21 for the prophylaxis and/or
treatment of bulimia.

39. (Withdrawn) The method according to claim 21 for the prophylaxis and/or
treatment of anorexia.

40. (Withdrawn) The method according to claim 21 for the prophylaxis and/or
treatment of cachexia.

41. (Withdrawn) The method according to claim 21 for the prophylaxis and/or
treatment of type II diabetes.

42. (Currently Amended) [[A]] The benzoxazinone-derived sulfonamide
compound of formula (Ib) according to claim 72,



(Ib)

wherein

R^{1b} , R^{2b} , R^{3b} , R^{4b} are each independently selected from the group consisting of hydrogen, halogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, $-OR^{10b}$, $-OC(=O)R^{11b}$, $-(C=O)-OR^{11b}$, $-SR^{12b}$, $-SOR^{12b}$, $-SO_2R^{12b}$, $-NH-SO_2R^{12b}$, $-SO_2NH_2$ and a $-NR^{13b}R^{14b}$ moiety,

R^{5b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical,

R^{6b}, R^{7b}, R^{8b}, R^{9b} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, a cyano group and a -COOR^{15b} moiety,

W^b represents an unbranched or branched, saturated or unsaturated, aliphatic radical, which may be substituted by one or more substituents selected from the group consisting of hydroxy, halogen, branched or unbranched C₁₋₄-alkoxy, branched or unbranched C₁₋₄-perfluoroalkoxy, branched or unbranched C₁₋₄-perfluoroalkyl, amino, carboxy, amido, cyano, nitro, -SO₂NH₂, -CO-C₁₋₄-alkyl, -SO-C₁₋₄-alkyl, -SO₂-C₁₋₄-alkyl, -NH-SO₂-C₁₋₄-alkyl, wherein the C₁₋₄-alkyl may in each case be branched or unbranched, an unsubstituted or at least monosubstituted phenyl or naphthyl radical and an unsubstituted or at least monosubstituted furanyl, thienyl, pyrrolyl, imidazolyl, pyrazolyl, pyridinyl, pyrimidinyl, quinolinyl and isoquinolinyl radical, whereby said substituents may be at least mono-substituted with F, Cl, methyl and methoxy,

a saturated or unsaturated, optionally at least one heteroatom as ring member containing cycloaliphatic radical, whereby said cycloaliphatic radical may be substituted by one or more substituents selected from the group consisting of hydroxyl, nitro, carboxy, cyano, keto, halogen, C₁₋₂₀-alkyl, partially fluorinated C₁₋₄ alkyl, partially chlorinated C₁₋₄ alkyl, partially brominated C₁₋₄ alkyl, C₁₋₅-alkoxy, partially fluorinated C₁₋₄ alkoxy, C₂₋₆-alkenyl, SO₂-C₁₋₄-alkyl, -(C=O)-C₁₋₅-alkyl, -(C=O)-O-C₁₋₅-alkyl, -(C=O)-Cl, -S-C₁₋₄-alkyl-, -(C=O)-H, -NH-(C=O)-

NH-C₁₋₅-alkyl, -(C=O)-C₁₋₄-perfluoroalkyl, -NR^AR^B, wherein R^A and R^B are independently selected from the group consisting of H, C₁₋₄-alkyl and phenyl, NH-(C=O)-C₁₋₅-alkyl, -C₁₋₅-alkylen-(C=O)-C₁₋₅-alkyl, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl), N-Phthalimidinyl-, (1,3-Dioxo-2-azaspiro[4,4]-non-2-yl, substituted or unsubstituted phenyl, -SO₂-phenyl, phenoxy, pyridinyl, pyridinyloxy, pyrazolyl, pyrimidinyl, pyrrolidinyl-, -SO₂-pyrrolidinyl, morpholinyl, SO₂-morpholinyl-, thiadiazolyl, oxadiazolyl, oxazolyl, thiazolyl, isoxazolyl, O-CH₂-thiazolyl, -NH-phenyl, and -C₁₋₄-Alkylen-NH-(C=O)-phenyl, whereby said substituents may be substituted by one or more substituents selected from the group consisting of halogen, nitro, cyano, hydroxyl, -(C=O)-C₁₋₄-alkyl, C₁₋₄-alkyl, at least partially fluorinated C₁₋₄-alkyl, at least partially chlorinated C₁₋₄-alkyl, at least partially brominated C₁₋₄-alkyl, -C(=O)-O-C₁₋₅-alkyl, -(C=O)-CH₂-F, -(C=O)-CH₂-Cl and -(C=O)-CH₂-Br, and whereby said cycloaliphatic radical may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted aromatic mono- or polycyclic ring-system,

an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, a NR^{16b}R^{17b}-moiety or a COR^{18b}-moiety,

R^{10b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{11b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{12b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{13b} and R^{14b} each are independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

or R^{13b} and R^{14b} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member,

R^{15b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{16b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{17b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{18b} represents an optionally at least mono-substituted aryl radical,

optionally in form of one of its stereoisomers, its racemate or in form of a mixture of at least two of its stereoisomers, preferably enantiomers or diastereomers, in any mixing ratio, or a physiologically acceptable salt thereof, respectively.

43. (Currently Amended) The compound according to ~~claim 42~~ claim 72, wherein R^{1b}, R^{2b}, R^{3b}, R^{4b} are each independently selected from the group consisting of H, F, Cl, Br, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, which may be bonded via an optionally at least

mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, -OR^{10b}, -OC(=O)R^{11b}, -SR^{12b}, -SOR^{12b}, -SO₂R^{12b}, -NH-SO₂R^{12b}, -SO₂NH₂ and a -NR^{13b}R^{14b} moiety.

44. (Currently Amended) The compound according to ~~claim 42~~ claim 72, wherein R^{5b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical.

45. (Currently Amended) The compound according to ~~claim 42~~ claim 72, wherein R^{6b}, R^{7b}, R^{8b}, R^{9b} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, a cyano group and a -COOR^{15b} moiety.

46. (Currently Amended) The compound according to ~~claim 42~~ claim 72, wherein W^b represents an unbranched or branched, saturated or unsaturated C₁₋₂₀ aliphatic radical, which may be substituted by one or more substituents selected from the group consisting of:

hydroxyl, halogen, branched or unbranched C₁₋₄-alkoxy, branched or unbranched C₁₋₄-perfluoroalkoxy, branched or unbranched C₁₋₄-perfluoroalkyl, amino, carboxy, amido, cyano, nitro, -SO₂NH₂, -CO-C₁₋₄-alkyl, -SO-C₁₋₄-alkyl, -SO₂-C₁₋₄-alkyl, -NH-SO₂-C₁₋₄-alkyl, wherein the C₁₋₄-alkyl may in each case be branched or unbranched, an unsubstituted or at least monosubstituted phenyl or naphthyl radical and an unsubstituted or at least monosubstituted furanyl, thienyl, pyrrolyl, imidazolyl, pyrazolyl, pyridinyl, pyrimidinyl, quinolinyl

and isoquinolinyl radical, whereby said substituents may be at least mono-substituted with F, Cl, methyl and methoxy;
a saturated or unsaturated, optionally at least one heteroatom as ring member containing C₃₋₈ cycloaliphatic radical, whereby said C₃₋₈ cycloaliphatic radical may be substituted by one or more substituents selected from the group consisting of:

hydroxyl, nitro, carboxy, cyano, keto, halogen, C₁₋₂₀-alkyl, partially fluorinated C₁₋₄ alkyl, partially chlorinated C₁₋₄ alkyl, partially brominated C₁₋₄ alkyl, C₁₋₅-alkoxy, partially fluorinated C₁₋₄ alkoxy, C₂₋₆-alkenyl, SO₂-C₁₋₄-alkyl, -(C=O)-C₁₋₅-alkyl, -(C=O)-O-C₁₋₅-alkyl, -(C=O)-Cl, -S-C₁₋₄-alkyl-, -(C=O)-H, -NH-(C=O)-NH-C₁₋₅-alkyl, -(C=O)-C₁₋₄-perfluoroalkyl, -NR^AR^B, wherein R^A and R^B are independently selected from the group consisting of H, C₁₋₄-alkyl and ~~phenyl~~, phenyl; NH-(C=O)-C₁₋₅-alkyl, -C₁₋₅-alkylen-(C=O)-C₁₋₅-alkyl, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl), N-Phthalimidinyl-, (1,3-Dioxo-2-azaspiro[4,4]-non-2-yl, substituted or unsubstituted phenyl, -SO₂-phenyl, phenoxy, pyridinyl, pyridinyloxy, pyrazolyl, pyrimidinyl, pyrrolidinyl-, -SO₂-pyrrolidinyl, morpholinyl, SO₂-morpholinyl-, thiadiazolyl, oxadiazolyl, oxazolyl, thiazolyl, isoxazolyl, O-CH₂-thiazolyl, -NH-phenyl, and -C₁₋₄-Alkylene-NH-(C=O)-phenyl,

whereby said substituents may be substituted by one or more substituents selected from the group consisting of halogen, nitro, cyano, hydroxyl, -(C=O)-C₁₋₄-alkyl, C₁₋₄-alkyl, at least partially fluorinated C₁₋₄-alkyl, at least partially chlorinated C₁₋₄-alkyl, at least partially brominated C₁₋₄-alkyl, -S-C₁₋₄-alkyl-, C(=O)-O-C₁₋₅-alkyl, -(C=O)-CH₂-F, -(C=O)-CH₂-Cl and -(C=O)-CH₂-Br, and whereby said C₃₋₈ cycloaliphatic radical may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted aromatic mono- or polycyclic ~~ring-system~~, ring-system;

an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ~~ring-system~~, ring-system; a NR^{16b}R^{17b}-moiety or a COR^{18b}-moiety.

47. (Currently Amended) The compound according to ~~claim 42~~ claim 72, wherein R^{10c} represents hydrogen, an unbranched or branched, saturated or

unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system.

48. (Currently Amended) The compound according to ~~claim 42~~ claim 72, wherein R^{11b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system.

49. (Currently Amended) The compound according to ~~claim 42~~ claim 72, wherein R^{12b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system.

50. (Currently Amended) The compound according to ~~claim 42~~ claim 72, wherein R^{13b} and R^{14b} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system.

51. (Currently Amended) The compound according to ~~claim 42~~ claim 72, wherein R^{13b} and R^{14b} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic, 5- or 6-membered heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member.

52. (Currently Amended) The compound according to ~~claim 42~~ claim 72, wherein R^{15b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system.

53. (Currently Amended) The compound according to ~~claim 42~~ claim 72, wherein R^{16b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} aliphatic radical.

54. (Currently Amended) The compound according to ~~claim 42~~ claim 72, wherein R^{17b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} aliphatic radical.

55. (Currently Amended) The compound according to ~~claim 42~~ claim 72, wherein R^{18b} represents a phenyl radical, which is optionally at least mono-substituted by a C_{1-6} aliphatic radical.

56. (Currently Amended) The compound according to ~~claim 42~~ claim 72, wherein

R^{1b} , R^{2b} , R^{3b} , R^{4b} are each independently selected from the group consisting of a hydrogen atom; a fluorine atom; a chlorine atom; a bromine atom; a methyl group and a methoxy group;

R^{5b} represents a hydrogen atom;


R^{6b} , R^{7b} , R^{8b} , R^{9b} each represent a hydrogen atom;


W^b represents


n alkyl radical selected from the group consisting of methyl; ~~ethyl; n-propyl; iso-propyl; n-butyl; sec-butyl;~~ methyl, ethyl, n-propyl, iso-propyl, n-butyl, sec-butyl, iso-butyl and tert-butyl; vinyl ($CH_2=CH-$); $-N(CH_3)_2$; 1-naphthyl; benzyl; 2-naphthyl; phenyl; 2-methyl-phenyl; 3-methyl-phenyl; 4-methyl-phenyl; 2-ethyl-phenyl; 3-ethyl-phenyl; 4-ethyl-phenyl; 2-n-propyl-phenyl; 3-n-propyl-phenyl; 4-n-propyl-phenyl; 2-isopropyl-phenyl; 3-isopropyl-phenyl; 4-isopropyl-phenyl; 2-n-butyl-phenyl; 3-n-butyl-phenyl; 4-n-butyl-phenyl; 2-iso-butyl-phenyl; 3-iso-butyl-phenyl; 4-iso-butyl-phenyl; 2-tert-butyl-phenyl; 3-tert-butyl-phenyl; 4-tert-butyl-phenyl; 1,1-dimethylpropyl-phenyl; 2-cyclopentyl-phenyl; 3-cyclopentyl-phenyl; 4-cyclopentyl-phenyl; 2-cyclohexyl-phenyl; 3-cyclohexyl-phenyl; 4-cyclohexyl-phenyl; 2-methoxy-phenyl; 3-methoxy-phenyl; 4-methoxy-phenyl; 2-ethoxy-phenyl; 3-ethoxy-phenyl; 4-ethoxy-phenyl; 2-n-propoxy-phenyl; 3-n-propoxy-phenyl; 4-n-propoxy-phenyl; 2-iso-propoxy-phenyl; 3-iso-propoxy-


phenyl; 4-isopropoxy-phenyl; 2-fluoro-phenyl; 3-fluoro-phenyl; 4-fluoro-phenyl; 2-chloro-phenyl; 3-chloro-phenyl; 4-chloro-phenyl; 2-bromo-phenyl; 3-bromo-phenyl; 4-bromo-phenyl; 2-trifluoromethyl-phenyl; 3-trifluoromethyl-phenyl; 4-trifluoromethyl-phenyl; 2-trifluoromethoxy-phenyl; 3-trifluoromethoxy-phenyl; 4-trifluoromethoxy-phenyl; 2-carboxy-phenyl; 3-carboxy-phenyl; 4-carboxy-phenyl; 2-acetyl-phenyl; 3-acetyl-phenyl; 4-acetyl-phenyl; 2-(C=O)-O-CH₃-phenyl; 3-(C=O)-O-CH₃-phenyl; 4-(C=O)-O-CH₃-phenyl; 2-(CH₂)-(CH₂)-(C=O)-O-CH₃; 3-(CH₂)-(CH₂)-(C=O)-O-CH₃; 4-(CH₂)-(CH₂)-(C=O)-O-CH₃; 2-cyano-phenyl; 3-cyano-phenyl; 4-cyano-phenyl; 2-nitro-phenyl; 3-nitro-phenyl; 4-nitro-phenyl; 4-(4-bromophenoxy)-phenyl; 2-methylsulfonyl-phenyl; 3-methylsulfonyl-phenyl; 4-methylsulfonyl-phenyl; 2-phenyl-phenyl (biphenyl-2-yl); 3-phenyl-phenyl (biphenyl-3-yl); 4-phenyl-phenyl (biphenyl-4-yl); 2-phenoxy-phenyl; 3-phenoxy-phenyl; 4-phenoxy-phenyl; 2,4-dimethyl-phenyl; 3,4-dimethyl-phenyl; 2,4,6-trimethyl-phenyl; 2,3,5,6-tetramethyl-phenyl; pentamethyl-phenyl; 2,5-dimethoxy-phenyl; 3,4-dimethoxy-phenyl; 2,3-dichloro-phenyl; 2,4-dichloro-phenyl; 2,5-dichloro-phenyl; 3,4-dichloro-phenyl; 3,5-dichloro-phenyl; 2,6-dichloro-phenyl; 2,4-difluoro-phenyl; 3,4-difluoro-phenyl; 2,5-difluoro-phenyl; 2,6-difluoro-phenyl; 3-chloro-2-fluoro-phenyl; 3-chloro-4-fluoro-phenyl; 5-chloro-2-fluoro-phenyl; 2,3,4-trichloro-phenyl; 2,4,5-trichloro-phenyl; 2,4,6-trichloro-phenyl; 2,4,5-trifluoro-phenyl; 2,3,4-trifluoro-phenyl; 2-chloro-4,5-difluoro-phenyl; 2-bromo-4-fluoro-phenyl; 2-bromo-4,6-difluoro-phenyl; 4-chloro-2,5-difluoro-phenyl; 5-chloro-2,4-difluoro-phenyl; 4-bromo-2,5-difluoro-phenyl; 5-bromo-2,4-difluoro-phenyl; pentafluoro-phenyl; 2,4-dinitro-phenyl; 4-chloro-3-nitro-phenyl; 2-methyl-5-nitro-phenyl; 5-bromo-2-methoxy-phenyl; 3-chloro-2-methyl-phenyl; 4-bromo-3-methyl-phenyl; 4-chloro-2,5-dimethyl-phenyl; 4-fluoro-3-methyl-phenyl; 5-fluoro-2-methyl-phenyl; 2-nitro-4-trifluoromethyl-phenyl; 2-methoxy-4-methyl-phenyl; 3,5-dichloro-2-hydroxy-phenyl; 3,5-dichloro-4-hydroxy-phenyl; 5-chloro-2,4-difluoro-phenyl; 3-chloro-4-(NH)-(C=O)-CH₃-phenyl; 2-chloro-6-methyl-phenyl; 2-chloro-5-trifluoromethyl-phenyl; 2-chloro-5-trifluoromethoxy-phenyl; 4-bromo-2-trifluoromethoxy-phenyl; 4-bromo-2-trifluoromethyl-phenyl; 4-bromo-3-trifluoromethyl-phenyl; 3-carboxy-4-fluoro-phenyl; 3-carboxy-4-chloro-6-


fluoro-phenyl; 4-methoxy-2,3,6-trimethyl-phenyl-; or one of the following groups:












whereby in each case X denotes the position by which the respective substituent W^b is bonded to the -SO_2 group of formula (Ib).

optionally in form of one of its stereoisomers, its racemate or in form of a mixture of at least two of its stereoisomers, in any mixing ratio, or a physiologically acceptable salt thereof, respectively.


57. (Canceled)

58. (Withdrawn; Currently Amended) Process for the preparation of the benzoxazinone-derived sulfonamide compound of formula (Ib) according to ~~claim 42~~ claim 72, comprising reacting at least one piperidine compound of formula (IIb), wherein R^{1b} to R^{9b} have the meaning according to ~~claim 42~~ claim 72 and/or a salt, preferably a hydrochloride salt, thereof,



(IIb)

with at least one compound of general formula (IIIb),



(IIIb)

wherein W^b has the meaning according to ~~claim 42~~ claim 72, in a suitable reaction medium, optionally in the presence of at least one base and/or at least one auxiliary agent.

59. (Withdrawn; Currently Amended) Process for the preparation of the benzoxazinone-derived sulfonamide compound of formula (Ib) according to ~~claim 42~~ claim 72, comprising reacting at least one compound of formula (Ib) having at least one basic group with at least one acid.

60. (Withdrawn; Currently Amended) Process for the preparation of the benzoxazinone-derived sulfonamide compound of formula (Ib) according to ~~claim 42~~ claim 72, comprising reacting at least one compound of formula (Ib) having at least one basic group with at least one base.

61. (Currently Amended) Medicament comprising at least one benzoxazinone-derived sulfonamide compound according to ~~claim 42~~ claim 72 and optionally one or more pharmaceutically acceptable adjuvants.

62. (Previously Presented) Medicament according to claim 61 for the prophylaxis and/or treatment of food intake disorders, for the regulation of appetite, for the maintenance, increase or reduction of body weight, for the prophylaxis and/or treatment of obesity, for the prophylaxis and/or treatment of bulimia, for the prophylaxis and/or treatment of anorexia, for the prophylaxis and/or treatment of cachexia, for the prophylaxis and/or treatment type II diabetes (non-insulin dependent diabetes mellitus).

63. (Currently Amended) Medicament according to claim 61 for the prophylaxis and/or treatment of gastrointestinal disorders, irritable colon syndrome; for the prophylaxis and/or treatment of disorders of the central nervous system; for the prophylaxis and/or treatment of anxiety; for the prophylaxis and/or treatment panic attacks; for the prophylaxis and/or treatment of depression; for the prophylaxis and/or treatment of bipolar disorders; for the prophylaxis and/or treatment cognitive disorders, memory disorders; for improvement of cognition (for cognitive enhancement); for the prophylaxis and/or treatment of senile dementia; for the prophylaxis and/or treatment of psychosis; for the prophylaxis and/or treatment neurodegenerative disorders selected from the group consisting of Morbus Alzheimer, Morbus Parkinson, Morbus Huntington and Multiple Sclerosis; for the

prophylaxis and/or treatment of schizophrenia or for the prophylaxis and/or treatment hyperactivity disorder (ADHD, attention deficit, hyperactivity disorder).

64. (Withdrawn; Currently Amended) A method for the treatment and/or prophylaxis of food intake disorders which comprises administering to a patient in need of such a treatment a therapeutically effective amount of at least one benzoxazinone-derived sulphonamide compound according to ~~claim 42~~ claim 72.

65. (Withdrawn) A method according to claim 64 for the regulation of appetite, for the reduction, increase or maintenance of body weight; for the prophylaxis and/or treatment of obesity, for the prophylaxis and/or treatment of bulimia, for the prophylaxis and/or treatment of anorexia; for the prophylaxis and/or treatment of cachexia; or for the prophylaxis and/or treatment of type II diabetes.

66. (Withdrawn; Currently Amended) A method for the prophylaxis and/or treatment of gastrointestinal disorders, irritable colon syndrome; for the prophylaxis and/or treatment of disorders of the central nervous system; for the prophylaxis and/or treatment of anxiety; for the prophylaxis and/or treatment panic attacks; for the prophylaxis and/or treatment of depression; for the prophylaxis and/or treatment of bipolar disorders; for the prophylaxis and/or treatment cognitive disorders, memory disorders; for improvement of cognition (for cognitive enhancement); for the prophylaxis and/or treatment of senile dementia; for the prophylaxis and/or treatment of psychosis; for the prophylaxis and/or treatment neurodegenerative disorders selected from the group consisting of Morbus Alzheimer, Morbus Parkinson, Morbus Huntington and Multiple Sclerosis; for the prophylaxis and/or treatment of schizophrenia; or for the prophylaxis and/or treatment hyperactivity disorder (ADHD, attention deficit, hyperactivity disorder), which comprises administering to a patient in need of such a treatment a therapeutically effective amount of at least one benzoxazinone-derived sulphonamide compound according to ~~claim 42~~ claim 72.

67. (Currently Amended) The compound according to ~~claim 4~~ claim 70, wherein W represents a moiety selected from the group consisting of 5-Dimethylamino-naph-1-yl, 2-Acetamido-4-methyl-5-thiazolyl-, Trifluoromethyl-,

Trichloromethyl-, Isopropyl-, Methyl-, 2,2,2-Trifluoroethyl-, Ethyl-, Hexadecyl-, 2-Chloroethyl-, n-Propyl-, 3-Chloro-propyl-, n-Butyl-, Dichloromethyl-, Chloromethyl-, Dodecyl-, 1-Octyl-, 6-(p-toluidino)-naphth-2-yl-, 4,5-Dibromo-thiophene-2-yl-, Benzoylchloride-3-yl-, 1-Octadecyl-, 4-Bromo-2,5-dichloro-thiophene-3-yl-, 2,5-Dichloro-thiophene-3-yl-, 5-Chloro-thiophene-2-yl-, 1-Decyl-, 3,5-Dichloro-4-(2-chloro-4-nitrophenoxy)-phenyl-, 2,3-Dichlorothiophene-5-yl-, 3-Bromo-2-chloro-thiophene-5-yl-, 3-Bromo-5-chloro-thiophene-2-yl-, 2-(Benzoylaminomethyl)-thiophene-5-yl-, 4-(Phenyl-sulphonyl)-thiophene-2-yl-, 2-Phenyl-sulphonyl-thiophene-5-yl-, 2-[1-Methyl-5-(trifluoromethyl)pyrazol-3-yl]-thiophene-5-yl-, 5-Chloro-1,3-dimethylpyrazole-4-yl-, 3,5-Dimethylisoxazole-4-yl-, 2-(2,4-Dichlorophenoxy)-phenyl, 4-(2-Chloro-6-nitro-phenoxy)-phenyl-, 4-(3-chloro-2-cyanophenoxy)-phenyl, 2,4-Dimethyl-1,3-thiazole-5-yl-, Methyl-methane-sulfonyl-, 2,5-Bis-(2,2,2-Trifluoroethoxy)-phenyl-, 5-(Di-n-propylamino)-naphth-1-yl-, 2,2,5,7,8-Pentamethylchroman-6-yl-, 5-Chloro-4-nitro-thiophene-2-yl-, 2,1,3-Benzothiadiaazole-4-yl-, 1-Methyl-imidazole-4-yl-, Benzofurazan-4-yl-, 5-(Isoxazol-3-yl)-thiophene-2-yl-, Vinyl-phenyl-4-yl-, 5-Dichloro-methyl-furan-2-yl-, 5-Bromo-thiophene-2-yl-, 5-(4-Chlorobenzamidomethyl)-thiophene-2-yl-, Dibenzo[b,d]-furan-2-yl-, 5-Chloro-3-methylbenzo[b]-thiophene-2-yl-, 3-Methoxy-4-(methoxycarbonyl)-thiophene-2-yl-, 5-[2-(Methylthio)-pyrimidin-4-yl]-thiophene-2-yl-, 4-Chloro-2,1,3-Benzoxadiazole-7-yl-, 5-Chloro-2,1,3-Benzoxadiazole-4-yl-, 6-Chloro-imidazo(2,1-b)-thiazole-5-yl-, 3-Methyl-benzo[b]-thiophene-2-yl-, 4-[[3-Chloro-5-(Trifluoromethyl)-2-pyridyl]oxy-phenyl-, 5-Chloro-naphth-1-yl-, 5-Chloro-naphth-2-yl-, 9,10-Dibromoanthracene-2-yl-, Isoquinoline-5-yl-, 4-Methoxy-2,3,6-trimethylbenzoyl-, 4'-Nitro-biphenyl-4-yl-, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl)-4-phenyl-, 5-(2-Methyl-1,3-thiazole-4-yl)-thiophene-2-yl-, 5-(1-Methyl-3-(trifluoromethyl)pyrazol-5-yl)-thiophene-2-yl-, 5-[5-Trifluoromethyl]-isoxazol-3-yl]-thiophene-2-yl-, p-Dodecyl-phenyl-, 4-[(3-Cyano-4-methoxy-2-pyridinyl)oxy]-phenyl-, 4-(N-phthalimidinyl)-phenyl-, 1,2,3,4-Tetrahydro-2-(trifluoroacetyl)-isoquinoline-7-yl-, 1,2-Dimethylimidazole-4-yl-, 2,2,4,6,7-Pentamethyl-dihydrobenzofuran-5-yl-, 4-Chloro-naphth-1-yl-, 2,5-Dichloro-4-nitro-thiophene-3-yl-, 4-(4-Methoxy-phenoxy)-phenyl-, [4-(3,5-Dichlorophenoxy)phenyl]-, [4-(3,4-Dichlorophenoxy)phenyl]-, [4-(3,5)-Bis(trifluoromethylphenoxy)phenyl]-, 3-(2-Methoxy-phenoxy)-phenyl, 3-(4-Methoxy-phenyl)-phenyl-, 3-(4-Chloro-phenyl)-phenyl-, 3-(3,5-Dichloro-phenyl)-phenyl-, 3-(3,4-Dichloro-phenyl)-phenyl-, 3-(4-

Fluorophenyl)-phenyl-, 3-[4-(Trifluoromethyl)-phenyl]-phenyl-, 3-[3,5-Bis-(Trifluoromethyl)-phenyl]-phenyl-, 4-(2-Methoxy-phenoxy)-phenyl-, 4-(2-Methyl-phenoxy)-phenyl-, 4-(4-Methoxy-phenoxy)-phenyl-, 4-(4-Chlorophenyl)-phenyl-, 4-(3,5-Dichlorophenyl)-phenyl-, 4-(3,4-Dichlorophenyl)-phenyl-, 4-(4-Fluorophenyl)-phenyl-, 4-[4-(Trifluoromethyl)-phenyl]-phenyl-, 4-[3,5-Bis-(Trifluoromethyl)-phenyl]-phenyl-, Cyclopropyl-, 2-(2-Chlorophenyl)-2-Phenylethyl-, 2-(2-Trifluoromethylphenyl)-2-phenylethyl-, 5-[4-Cyano-1-methyl-5-(methylthio)-1H-pyrazol-3-yl-thiophene-2-yl-, 3-Cyano-2,4-bis-(2,2,2-Trifluoroethoxy)-phenyl-, 4-[(2-Chloro-1,3-Thiazol-5-yl)-methoxy]-phenyl-, 2-(1,3-Dioxo-1,3-dihydro-indol-2-yl)-ethyl-, 5-Iodo-naphth-1-yl-, Ethyl-2,5-dimethyl-1-phenylpyrrole-4-carboxylate-3-yl-, Ethyl-2-methyl-1,5-diphenyl-1H-pyrrole-3-carboxylate-4-yl-, Ethyl-5-(4-chlorophenyl)-2-methyl-3-furoate-4-yl-, Ethyl-5-(4-chlorophenyl)-2-methyl-1-phenyl-3-carboxylate-4-yl-, Ethyl-2,5-dimethyl-3-furoate-4-yl-, 3-Chloro-4-(1,3-dioxo-2-Azaspiro[4,4]non-2-yl)-phenyl-, Coumarin-6-yl-, 3-(4-Methoxy-phenoxy)-phenyl-, [3-(3,5-Dichlorophenoxy)]-phenyl-, [3-(3,4-Dichlorophenoxy)]-phenyl-, 3,5-Bis(Trifluoromethyl)phenoxyphenyl-, 2,2-Diphenylethyl-, 4-Phenyl-5-(trifluoromethyl)-thiophene-3-yl-, Methyl-4-Phenyl-5-(Trifluoromethyl)-thiophene-2-carboxylate-3-yl-, Methyl-1,2,5-trimethylpyrrole-3-Carboxylate-4-yl-, 4-Fluoro-naphth-1-yl-, 5-Fluoro-3-methylbenzo[b]-thiophene-2-yl-, Methyl-2,5-dimethyl-3-furoate-4-yl-, Methyl-2-furoate-5-yl-, Methyl-2-methyl-3-furoate-5-yl-, Methyl-1-methyl-1H-pyrrole-2-Carboxylate-5-yl-, 2-(5-Chloro-1,2,4-Thiadiazol-3-yl)-thiophene-5-yl-, 1,3,5-Trimethyl-1H-pyrazole-4-yl-, Pentafluoroethoxytetrafluoroethyl-, 5-(5-Isoxazolyl)-thiophene-2-yl-, 5-(5-Isoxazol-yl)-2-furyl-, 5-Methyl-2,1,3-benzothiadiazole-4-yl-, 2,3-Dihydro-1,4-benzodioxine-6-yl-, 4-Methyl-Naphth-1-yl-, 5-Methyl-2-(Trifluoromethyl)-3-Furyl-, 2,3-Dihydrobenzo[b]furan-5-yl-, 1-Benzothiophene-3-yl-, 4-Methyl-3,4-dihydro-2H-1,4-Benzoxazine-7-yl-, 5-Methyl-1-phenyl-1H-pyrazole-4-yl-, 6-Morpholino-3-Pyridinyl-, 4-(1H-Pyrazol-1-yl)-phenyl-, 6-Phenoxy-3-Pyridyl-, 3,4-Dihydro-2H-1,5-benzodioxepine-7-yl-, 5-(1,3-Oxazol-5-yl)-2-thienyl-, 4-(1,3-Oxazol-5-yl)-phenyl-, 5-Methyl-4-isoxazolyl-, 2,1,3-Benzothiadiazole-5-yl-, 5-Acetamido-naphth-1-yl-, 3-Methyl-8-Quinoliny-, 1,3-Benzothiazole-6-yl-, 2-Morpholino-3-Pyridyl-, 2,5-Dimethyl-3-thienyl-, 5-[5-(Chloromethyl)-1,2,4-oxadiazol-3-yl]-2-thienyl-, Ethyl-3-[5-yl-2-thienyl]-1,2,4-oxadiazole-5-carboxylate-, 3-(5-Methyl-1,3,4-oxadiazol-2-yl)-phenyl-, 4-(Difluoromethoxy)-phenyl-, 3-(Difluoromethoxy)-phenyl-, 2,2-Dimethyl-6-Chromanyl-,

Ethyl-3,5-dimethyl-1H-pyrrole-2-carboxylate-4-yl-, Imidazo[1,2-A]pyridine-3-yl-, 3-(1,3-Oxazol-5-yl)-phenyl-, Ethyl-5-[4-yl)-phenyl]-2-methyl-3-furoate, 1-Pyrrolidinylphenylsulfonyl-, Methyl-5-yl-4-methyl-2-thiophene-carboxylate, Methyl-3-yl-4-(isopropylsulfonyl)-2-thiophene, 7-Chlorochromone-3-yl-, 4'-Bromobiphenyl-4-yl-, 4'-Acetyl-biphenyl-4-yl-, 4'-Bromo-2'-fluoro-biphenyl-4-yl-, 1-Methyl-5-isatiny-, 2-Chloro-3-thiophenecarboxylic-acid-5-yl-, 2-Methoxy-5-(N-phthalimidinyl)-phenyl-, 1-Benzothiophene-2-yl-, Morpholinophenylsulfonyl-, and 3-(2-Methyl-4-pyrimidinyl)-phenyl-.

68. (Withdrawn) The method according to claim 21, wherein W^a is selected from the group consisting of 1-Naphthyl-, 5-Dimethylamino-naph-1-yl-, 2-Naphthyl-, 2-Acetamido-4-methyl-5-thiazolyl-, 2-Thienyl-, 8-Quinoliny-, Phenyl-, Pentafluorophenyl-, 2,4,5-Trichloro-phenyl-, 2,5-Dichloro-phenyl-, 2-Nitrophenyl-, 2,4-Dinitro-phenyl-, 3,5-Dichloro-2-hydroxy-phenyl-, 2,4,6-Trisisopropyl-phenyl-, 2-Mesityl-, 3-Nitro-phenyl-, 4-Bromo-phenyl-, 4-Fluoro-phenyl-, 4-Chlorophenyl-, 4-Chloro-3-nitro-phenyl-, 4-Iodo-phenyl-, N-Acetyl-sulfanilyl-, 4-Nitro-phenyl-, 4-Methoxy-phenyl-, Benzoic-acid-4-yl-, 4-tert-Butyl-phenyl-, p-Tolyl-, Trifluoromethyl-, Trichloromethyl-, Isopropyl-, Methyl-, Benzyl-, trans-styryl-, 2,2,2-Trifluoroethyl-, Ethyl-, Hexadecyl-, 2-Chloroethyl-, n-Propyl-, 3-Chloro-propyl-, n-Butyl-, Methylbenzoate-2-yl-, 2-Nitro-4-(trifluoromethyl)-phenyl-, Pentamethyl-phenyl-, 2,3,5,6-Tetramethyl-phenyl-, 3-(Trifluoromethyl)-phenyl-, 3,5-Bis-(Trifluoromethyl)-phenyl-, Dichloromethyl-, Chloromethyl-, Dodecyl-, 1-Octyl-, 2,3,4-Trichloro-phenyl-, 2,5-Dimethoxy-phenyl-, o-Tolyl-, p-xylyl-2-yl-, Benzoic-acid-3-yl-, 4-Chloro-3-(trifluoromethyl)-phenyl-, 4-Chloro-5-nitro-benzoic acid-3-yl-, 6-(p-toluidino)-naphth-2-yl-, 4-Methoxy-2,3,6-trimethylphenyl-, 3,4-Dichlorophenyl-, 4,5-Dibromo-thiophene-2-yl-, 3-Chloro-4-fluoro-phenyl-, 4-Ethyl-phenyl-, 4-n-Propyl-phenyl-, 4-(1,1-Dimethylpropyl)-phenyl-, 4-Isopropyl-phenyl-, 4-Bromo-2,5-difluoro-phenyl-, 2-Fluoro-phenyl-, 3-Fluoro-phenyl-, 4-(Trifluoromethoxy)-phenyl-, 4-(Trifluoromethyl)-phenyl-, 2,4-Difluoro-phenyl-, 2,4-Dichloro-5-methyl-phenyl-, 4-Chloro-2,5-dimethylphenyl-, 5-Diethylamino-naph-2-yl-, Benzoyl chloride-3-yl-, 2-Chloro-phenyl-, 1-Octadecyl-, 4-Bromo-2,5-dichloro-thiophene-3-yl-, 2,5-Dichloro-thiophene-3-yl-, 5-Chloro-thiophene-2-yl-, 2-Methyl-5-nitro-phenyl-, 2-(Trifluoromethyl)-phenyl-, 3-Chloro-phenyl-, 3,5-Dichloro-phenyl-, 1-Decyl-, 3-Methyl-phenyl-, 2-Chloro-6-methyl-,

5-Bromo-2-methoxy-phenyl-, 3,4-Dimethoxy-phenyl-, 2-3-Dichloro-phenyl-, 2-Bromo-phenyl-, 3,5-Dichloro-4-(2-chloro-4-nitrophenoxy)-phenyl-, 2,3-Dichloro-thiophene-5-yl-, 3-Bromo-2-chloro-thiophene-5-yl-, 3-Bromo-5-chloro-thiophene-2-yl-, 2-(Benzoylaminomethyl)-thiophene-5-yl-, 4-(Phenyl-sulphonyl)-thiophene-2-yl-, 2-Phenyl-sulphonyl-thiophene-5-yl-, 3-Chloro-2-methyl-phenyl-, 2-[1-Methyl-5-(trifluoromethyl)pyrazol-3-yl]-thiophene-5-yl-, 5-Pyrid-2-yl-thiophene-2-yl-, 2-Chloro-5-(trifluoromethyl)-phenyl-, 2,6-Dichloro-phenyl-, 3-Bromo-phenyl-, 2-(Trifluoromethoxy)-phenyl-, 4-Cyano-phenyl-, 2-Cyano-phenyl-, 4-n-Butoxy-phenyl-, 4-Acetamido-3-chloro-phenyl, 2,5-Dibromo-3,6-difluoro-phenyl-, 5-Chloro-1,3-dimethylpyrazole-4-yl-, 3,5-Dimethylisoxazole-4-yl-, 2-(2,4-Dichlorophenoxy)-phenyl-, 4-(2-Chloro-6-nitro-phenoxy)-phenyl-, 4-(3-Chloro-2-cyano-phenoxy)-phenyl-, 2,4-Dichloro-phenyl-, 2,4-Dimethyl-1,3-thiazole-5-yl-, Methyl-methane-sulfonyl-, 2,5-Bis-(2,2,2-Trifluoroethoxy)-phenyl-, 2-Chloro-4-(trifluoromethyl)-phenyl-, 2-Chloro-4-fluoro-phenyl-, 5-Fluoro-2-methyl-phenyl-, 5-Chloro-2-methoxy-phenyl-, 2,4,6-Trichloro-phenyl-, 2-Hydroxy-benzoic acid-5-yl-, 5-(Di-n-propylamino)-naphth-1-yl-, 6-Methoxy-m-tolyl-, 2,5-Difluoro-phenyl-, 2,4-Dimethoxy-phenyl-, 2,5-Dibromo-phenyl-, 3,4-Dibromo-phenyl-, 2,2,5,7,8-Pentamethyl-chroman-6-yl-, 2-Methoxy-benzoic-acid-5-yl-, 5-Chloro-4-nitro-thiophene-2-yl-, 2,1,3-Benzothiadiazole-4-yl-, 1-Methyl-imidazole-4-yl-, Benzofurazan-4-yl-, 2-(Methoxycarbonyl)-thiophene-3-yl-, 5-(Isoxazol-3-yl)-thiophene-2-yl-, 2,4,5-Trifluoro-phenyl-, Biphenyl-4-yl-, Vinyl-phenyl-4-yl-, 2-Nitro-benzyl-, 5-Dichloro-methyl-furan-2-yl-, 5-Bromo-thiophene-2-yl-, 5-(4-Chlorobenzamidomethyl)-thiophene-2-yl-, 2,6-Difluoro-phenyl-, 2,5-Dimethoxy-4-nitro-phenyl-, Dibenzo[b,d]-furan-2-yl-, 2,3,4-Trifluoro-phenyl-, 3-Nitro-p-tolyl-, 4-Methoxy-2-nitro-phenyl-, 3,4-Difluoro-phenyl-, 4-(Bromoethyl)-phenyl-, 3,5-Dichloro-4-hydroxy-phenyl-, 4-n-Amyl-phenyl-, 5-Chloro-3-methylbenzo[b]-thiophene-2-yl-, 3-Methoxy-4-(methoxycarbonyl)-thiophene-2-yl-, 4-n-Butyl-phenyl-, 2-Chloro-4-cyano-phenyl-, 5-[2-(Methylthio)-pyrimidin-4-yl]-thiophene-2-yl-, 3,5-Dinitro-4-methoxy-phenyl-, 4-Bromo-2-(trifluoromethoxy)-phenyl-, 4-Chloro-2,1,3-Benzoxadiazole-7-yl-, 2-(1-Naphthyl)-ethyl-, 3-Cyano-phenyl-, 5-Chloro-2,1,3-Benzoxadiazole-4-yl-, 3-Chloro-4-methyl-phenyl-, 4-Bromo-2-ethyl-phenyl-, 2,4-Dichloro-6-methyl-phenyl-, 6-Chloro-imidazo(2,1-B)-thiazole-5-yl-, 3-Methyl-benzo[b]-thiophene-2-yl-, 4-Methyl-sulphonyl-phenyl-, 2-Methyl-sulphonyl-phenyl-, 4-Bromo-2-methyl-phenyl-, 2,6-Dichloro-4-(trifluoromethyl)-phenyl-, 4-[[3-Chloro-5-(trifluoromethyl)-2-pyridinyl]oxy]-

phenyl-, 5-Chloro-naphth-1-yl-, 5-Chloro-naphth-2-yl-, 9,10-Dibromoanthracene-2-yl-, Isoquinoline-5-yl-, 4-Methoxy-2,3,6-trimethyl-phenyl-, 4'-Nitro-biphenyl-4-yl-, [(4-Phenoxy)-phenyl-, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl)-4-phenyl-, 4-Acetyl-phenyl-, 5-(2-Methyl-1,3-thiazole-4-yl)-thiophene-2-yl-, 5-(1-Methyl-3-(trifluoromethyl)pyrazol-5-yl)-thiophene-2-yl-, 5-[5-Trifluoromethyl]-isoxazol-3-yl]-thiophene-2-yl-, 2-Iodo-phenyl-, p-Dodecyl-phenyl-, 4-[(3-Cyano-4-methoxy-2-pyridinyl)oxy]-phenyl-, 4-(N-phthalimidinyl)-phenyl-, 1,2,3,4-Tetrahydro-2-(trifluoroacetyl)-isoquinoline-7-yl-, 4-Bromo-2-fluoro-phenyl-, 2-Fluoro-5-(trifluoromethyl)-phenyl-, 4-Fluoro-2-(trifluoromethyl)-phenyl-, 4-Fluoro-3-(trifluoromethyl)-phenyl-, 2,4,6-Trifluoro-phenyl-, 3-(Trifluoromethoxy)-phenyl-, 1,2-Dimethylimidazole-4-yl-, Ethyl-4-Carboxylate-3-yl-, 2,2,4,6,7-Pentamethyldihydrobenzofuran-5-yl-, 3-Bromo-2-chloropyridine-5-yl-, 3-Methoxy-phenyl-, 2-Methoxy-4-methyl-phenyl-, 2-Chloro-4-fluorobenzoic-acid-5-yl-, 4-Chloro-naphth-1-yl-, 2,5-Dichloro-4-nitro-thiophene-3-yl-, 4-(4-Methoxy-phenoxy)-phenyl-, 4-(4-Chloro-phenoxy)-phenyl-, 4-(3,5-Dichloro-phenoxy)-phenyl-, 4-(3,4-Dichloro-phenoxy)-phenyl-, 4-(4-Fluoro-phenoxy)-phenyl-, 4-(4-Methyl-phenoxy)-phenyl-, 4-[4-(Trifluoromethyl)-phenoxy]-phenyl-, 4-[3,5-Bis-(trifluoromethyl)-phenoxy]-phenyl-, 3-(2-Methoxy-phenoxy)-phenyl-, [3-(2-Chloro-phenoxy)-phenyl-, 3-(2-Methyl-phenoxy)-phenyl-, 4-[2-(Trifluoromethyl)-phenoxy]-phenyl-, 3-Phenyl-phenyl-, 3-(4-Methoxy-phenyl)-phenyl-, 3-(4-Chloro-phenyl)-phenyl-, 3-(3,5-Dichloro-phenyl)-phenyl-, 3-(3,4-Dichloro-phenyl)-phenyl-, 3-(4-Fluorophenyl)-phenyl-, 3-(4-Methylphenyl)-phenyl-, 3-[4-(Trifluoromethyl)-phenyl]-phenyl-, 3-[3,5-Bis-(Trifluoromethyl)-phenyl]-phenyl-, 4-(4-Pyridyloxy)-phenyl-, 4-(2-Methoxy-phenoxy)-phenyl-, 4-(2-Chloro-phenoxy)-phenyl-, 4-(2-Methyl-phenoxy)-phenyl-, 4-(4-Methoxy-phenoxy)-phenyl-, 4-(4-Chlorophenyl)-phenyl-, 4-(3,5-Dichlorophenyl)-phenyl-, 4-(3,4-Dichlorophenyl)-phenyl-, 4-(4-Fluorophenyl)-phenyl-, 4-(4-Methylphenyl)-phenyl-, 4-[4-(Trifluoromethyl)-phenyl]-phenyl-, 4-[3,5-Bis-(Trifluoromethyl)-phenyl]-phenyl-, [3-(Trifluoromethyl)-phenyl]-methyl-, (4-Chlorophenyl)-methyl-, (3,5-Dichlorophenyl)-methyl-, (3,5-Dichlorophenyl)-methyl-, (4-Fluorophenyl)-methyl-, 4-Methylphenylmethyl-, [4-(Trifluoromethyl)-phenyl]-methyl-, Cyclopropyl-, 2-(2-Chlorophenyl)-2-Phenylethyl-, 2-(2-Trifluoromethylphenyl)-2-phenylethyl-, 5-[4-Cyano-1-methyl-5-(methylthio)-1H-pyrazol-3-yl]-thiophene-2-yl-, 3-Cyano-2,4-bis-(2,2,2-Trifluoroethoxy)-phenyl-, 4-[(2-Chloro-1,3-Thiazol-5-yl)-methoxy]-phenyl-, 3-Nitro-phenylmethyl-, 4-Formylphenyl-, 2-(1,3-Dioxo-1,3-dihydro-isoindol-2-yl)-ethyl-,


[3,5-Bis-(Trifluoromethyl)-phenyl]-methyl-, (4-(2-Pyridyloxy)-phenyl)-, (4-(3-Pyridyloxy)-phenyl)-, 5-Iodo-naphth-1-yl-, Ethyl-2,5-dimethyl-1-phenylpyrrole-4-carboxylate-3-yl-, Ethyl-2-methyl-1,5-diphenyl-1H-pyrrole-3-carboxylate-4-yl-, Ethyl-5-(4-chlorophenyl)-2-methyl-3-furoate-4-yl, Ethyl-5-(4-chlorophenyl)-2-methyl-1-phenyl-3-carboxylate-4-yl-, Ethyl-2,5-dimethyl-3-furoate-4-yl-, 3-Chloro-4-(1,3-dioxo-2-Azaspiro[4,4]non-2-yl)-phenyl-, 5-Bromo-2,4-difluoro-phenyl-, 5-Chloro-2,4-difluorophenyl-, Coumarin-6-yl, 2-Methoxy-phenyl, (3-Phenoxy)-phenyl-, 3-(4-Methoxy-phenoxy)-phenyl-, 3-(4-Chlorophenoxy)-phenyl-, 3-(3,5-Dichlorophenoxy)-phenyl-, 3-(3,4-Dichlorophenoxy)-phenyl-, 3-(4-Fluorophenoxy)-phenyl-, 3-(4-Methylphenoxy)-phenyl-, 3-[4-(Trifluoromethyl)-phenoxy]-phenyl-, 3-[3,5-(Trifluoromethyl)-phenoxy]-phenyl-, 3-[2-(Trifluoromethyl)-phenoxy]-phenyl-, 2,2-Diphenylethyl-, 4-Phenyl-5-(trifluoromethyl)-thiophene-3-yl-, Methyl-4-Phenyl-5-(Trifluoromethyl)-thiophene-2-carboxylate-3-yl-, Methyl-1,2,5-trimethylpyrrole-3-Carboxylate-4-yl-, 4-Fluoro-naphth-1-yl-, 3,5-Difluorophenyl-, 3-Fluoro-4-methoxy-phenyl-, 4-Chloro-2,5-difluorophenyl-, 2-Chloro-4,5-difluoro-phenyl-, 5-Fluoro-3-methylbenzo[b]-thiophene-2-yl-, Methyl-3-phenylpropionate-4-yl, Dihydrocinnamic Acid-4-yl-, Methyl-2,5-dimethyl-3-furoate-4-yl-, Methyl-2-furoate-5-yl-, Methyl-2-methyl-3-furoate-5-yl-, Methyl-1-methyl-1H-pyrrole-2-Carboxylate-5-yl-, 2-(5-Chloro-1,2,4-Thiadiazol-3-yl)-thiophene-5-yl-, 1,3,5-Trimethyl-1H-pyrazole-4-yl-, 3-Chloro-5-fluoro-2-methylphenyl-, Pentafluoroethoxytetrafluoroethyl-, 5-(5-Isoxazol-2-yl)-thiophene-2-yl-, 5-(5-Isoxazol-2-yl)-2-furyl-, 5-Methyl-2,1,3-benzothiadiazole-4-yl-, Biphenyl-2-yl-, 2,3-Dihydro-1,4-benzodioxine-6-yl-, 4-Methyl-Naphth-1-yl-, 5-Methyl-2-(Trifluoromethyl)-3-Furyl-, 2,3-Dihydrobenzo[b]furan-5-yl-, 1-Benzothiophene-3-yl-, 4-Methyl-3,4-dihydro-2H-1,4-Benzoxazine-7-yl-, 5-Methyl-1-phenyl-1H-pyrazole-4-yl-, 6-Morpholino-3-Pyridinyl-, 4-(1H-Pyrazol-1-yl)-phenyl-, 6-Phenoxy-3-Pyridyl-, 3,4-Dihydro-2H-1,5-benzodioxepine-7-yl-, 5-(1,3-Oxazol-5-yl)-2-thienyl-, 4-(1,3-Oxazol-5-yl)-phenyl-, 5-Methyl-4-isoxazolyl, 2,1,3-Benzothiadiazole-5-yl-, 3-Thienyl-, 2-Methyl-benzyl-, 3-Chloro-benzyl-, 5-Acetamido-naphth-1-yl-, 3-Methyl-8-Quinoliny-, 4-Chloro-2-nitrophenyl-, 6-Quinoliny-, 1,3-Benzothiazole-6-yl-, 2-Morpholino-3-Pyridyl-, 2,5-Dimethyl-3-thienyl-, 5-[5-(Chloromethyl)-1,2,4-oxadiazol-3-yl]-2-thienyl-, Ethyl-3-[5-yl-2-thienyl]-1,2,4-oxadiazole-5-carboxylate-, 3-(5-Methyl-1,3,4-oxadiazol-2-yl)-phenyl-, 4-Isopropoxyphenyl-, 2,4-Dibromophenyl-, 3-Cyano-4-fluorophenyl-, 2,5-Bis-(Trifluoromethyl)-phenyl, 2-Bromo-4-fluorophenyl-, 4-Bromo-3-fluorophenyl-, 4-


(Difluoromethoxy)-phenyl-, 3-(Difluoromethoxy)-phenyl-, 5-Chloro-2-fluoro-phenyl-, 3-Chloro-2-fluorophenyl-, 2-Fluoro-4-methylphenyl-, 4 Nitro-3-(trifluoromethyl)-phenyl-, 3-Fluoro-4-methylphenyl-, 4-Fluoro-2-methylphenyl-, 4-Bromo-3-(trifluoromethyl)-phenyl-, 4-Bromo-2-(trifluoromethyl)-phenyl-, 3-Bromo-5-(trifluoromethyl)-phenyl-, 2-Bromo-4-(trifluoromethyl)-phenyl-, 2-Bromo-5-(trifluoromethyl)-phenyl-, 2,4-Dichloro-5-fluorophenyl-, 4,5-Dichloro-2-fluorophenyl-, 3,4,5-Trifluorophenyl-, 4-Chloro-2-fluorophenyl-, 2-Bromo-4,6-Difluorophenyl-, 2-Ethylphenyl-, 4-Bromo-2-chlorophenyl-, 4-Bromo-2,6-dichlorophenyl-, 2-Bromo-4,6-dichloro-phenyl-, 4-Bromo-2,6-dimethylphenyl-, 3,5-Dimethylphenyl-, 4-Bromo-3-methylphenyl-, 2-Methoxy-4-nitrophenyl-, 2,2-Dimethyl-6-Chromanyl-, Ethyl-3,5-dimethyl-1H-pyrrole-2-carboxylate-4-yl-, Imidazo[1,2-A]pyridine-3-yl-, 3-(1,3-Oxazol-5-yl)-phenyl-, Ethyl-5-[4-yl)-phenyl]-2-methyl-3-furoate, Methyl-3-(yl)-4-methoxybenzoate, 1-Pyrrolidinylphenylsulfonyl-, Methyl-5-yl-4-methyl-2-thiophene-carboxylate, Methyl-3-yl-4-(isopropylsulfonyl)-2-thiophene, 2-Pyridyl-, 3-Fluoro-4-nitrophenyl-, 7-Chlorochromone-3-yl-, 4'-Bromobiphenyl-4-yl-, 4'-Acetyl-biphenyl-4-yl-, 4'-Bromo-2'-fluoro-biphenyl-4-yl-, 2-Chloro-4-(3-propyl-Ureido)-phenyl-, 3-(-Bromoacetyl)-phenyl-, 2-Bromo-3-(trifluoromethyl)-phenyl-, 1-Methyl-5-isatinyl-, 4-Isopropyl-benzoic-acid-3-yl-, 2-Chloro-3-thiophenecarboxylic-acid-5-yl-, 3-Pyridyl-, Cyclohexylmethyl-, 2-Methoxy-5-(N-phthalimidinyl)-phenyl-, 1-Benzothiophene-2-yl-, Morpholinophenylsulfonyl-, 3-(2-Methyl-4-pyrimidinyl)-phenyl-, and 2-Cyano-5-methylphenyl-.


69. (Currently Amended) The compound according to ~~claim 42~~ claim 72, wherein W^b is selected from the group consisting of an alkyl radical selected from the group consisting of ~~methyl; ethyl; n-propyl; iso-propyl; n-butyl; sec-butyl;~~ methyl, ethyl, n-propyl, iso-propyl, n-butyl, sec-butyl, iso-butyl and tert-butyl; vinyl (CH₂=CH-); -N(CH₃)₂; 1-naphthyl; benzyl; 2-naphthyl; phenyl; 2-methyl-phenyl; 3-methyl-phenyl; 4-methyl-phenyl; 2-ethyl-phenyl; 3-ethyl-phenyl; 4-ethyl-phenyl; 2-n-propyl-phenyl; 3-n-propyl-phenyl; 4-n-propyl-phenyl; 2-isopropyl-phenyl; 3-isopropyl-phenyl; 4-isopropyl-phenyl; 2-n-butyl-phenyl; 3-n-butyl-phenyl; 4-n-butyl-phenyl; 2-iso-butyl-phenyl; 3-iso-butyl-phenyl; 4-iso-butyl-phenyl; 2-tert-butyl-phenyl; 3-tert-butyl-phenyl; 4-tert-butyl-phenyl; 1,1-dimethylpropyl-phenyl; 2-cyclopentyl-phenyl; 3-cyclopentyl-phenyl; 4-cyclopentyl-phenyl; 2-cyclohexyl-phenyl; 3-cyclohexyl-phenyl;


4-cyclohexyl-phenyl; 2-methoxy-phenyl; 3-methoxy-phenyl; 4-methoxy-phenyl; 2-ethoxy-phenyl; 3-ethoxy-phenyl; 4-ethoxy-phenyl; 2-n-propoxy-phenyl; 3-n-propoxy-phenyl; 4-n-propoxy-phenyl; 2-iso-propoxy-phenyl; 3-iso-propoxy-phenyl; 4-isopropoxy-phenyl; 2-fluoro-phenyl; 3-fluoro-phenyl; 4-fluoro-phenyl; 2-chloro-phenyl; 3-chloro-phenyl; 4-chloro-phenyl; 2-bromo-phenyl; 3-bromo-phenyl; 4-bromo-phenyl; 2-trifluoromethyl-phenyl; 3-trifluoromethyl-phenyl; 4-trifluoromethyl-phenyl; 2-trifluoromethoxy-phenyl; 3-trifluoromethoxy-phenyl; 4-trifluoromethoxy-phenyl; 2-carboxy-phenyl; 3-carboxy-phenyl; 4-carboxy-phenyl; 2-acetyl-phenyl; 3-acetyl-phenyl; 4-acetyl-phenyl; 2-(C=O)-O-CH₃-phenyl; 3-(C=O)-O-CH₃-phenyl; 4-(C=O)-O-CH₃-phenyl; 2-(CH₂)-(CH₂)-(C=O)-O-CH₃; 3-(CH₂)-(CH₂)-(C=O)-O-CH₃; 4-(CH₂)-(CH₂)-(C=O)-O-CH₃; 2-cyano-phenyl; 3-cyano-phenyl; 4-cyano-phenyl; 2-nitro-phenyl; 3-nitro-phenyl; 4-nitro-phenyl; 4-(4-bromophenoxy)-phenyl; 2-methylsulfonyl-phenyl; 3-methylsulfonyl-phenyl; 4-methylsulfonyl-phenyl; 2-phenyl-phenyl (biphenyl-2-yl); 3-phenyl-phenyl (biphenyl-3-yl); 4-phenyl-phenyl (biphenyl-4-yl); 2-phenoxy-phenyl; 3-phenoxy-phenyl; 4-phenoxy-phenyl; 2,4-dimethyl-phenyl; 3,4-dimethyl-phenyl; 2,4,6-trimethyl-phenyl; 2,3,5,6-tetramethyl-phenyl; pentamethyl-phenyl; 2,5-dimethoxy-phenyl; 3,4-dimethoxy-phenyl; 2,3-dichloro-phenyl; 2,4-dichloro-phenyl; 2,5-dichloro-phenyl; 3,4-dichloro-phenyl; 3,5-dichloro-phenyl; 2,6-dichloro-phenyl; 2,4-difluoro-phenyl; 3,4-difluoro-phenyl; 2,5-difluoro-phenyl; 2,6-difluoro-phenyl; 3-chloro-2-fluoro-phenyl; 3-chloro-4-fluoro-phenyl; 5-chloro-2-fluoro-phenyl; 2,3,4-trichloro-phenyl; 2,4,5-trichloro-phenyl; 2,4,6-trichloro-phenyl; 2,4,5-trifluoro-phenyl; 2,3,4-trifluoro-phenyl; 2-chloro-4,5-difluoro-phenyl; 2-bromo-4-fluoro-phenyl; 2-bromo-4,6-difluoro-phenyl; 4-chloro-2,5-difluoro-phenyl; 5-chloro-2,4-difluoro-phenyl; 4-bromo-2,5-difluoro-phenyl; 5-bromo-2,4-difluoro-phenyl; pentafluoro-phenyl; 2,4-dinitro-phenyl; 4-chloro-3-nitro-phenyl; 2-methyl-5-nitro-phenyl; 5-bromo-2-methoxy-phenyl; 3-chloro-2-methyl-phenyl; 4-bromo-3-methyl-phenyl; 4-chloro-2,5-dimethyl-phenyl; 4-fluoro-3-methyl-phenyl; 5-fluoro-2-methyl-phenyl; 2-nitro-4-trifluoromethyl-phenyl; 2-methoxy-4-methyl-phenyl; 3,5-dichloro-2-hydroxy-phenyl; 3,5-dichloro-4-hydroxy-phenyl; 5-chloro-2,4-difluoro-phenyl; 3-chloro-4-(NH)-(C=O)-CH₃-phenyl; 2-chloro-6-methyl-phenyl; 2-chloro-5-trifluoromethyl-phenyl; 2-chloro-5-trifluoromethoxy-phenyl; 4-bromo-2-trifluoromethoxy-phenyl; 4-bromo-2-trifluoromethyl-phenyl; 4-bromo-3-trifluoromethyl-phenyl; 3-carboxy-4-fluoro-phenyl;


3-carboxy-4-chloro-6-fluoro-phenyl; 4-methoxy-2,3,6-trimethyl-phenyl; or one of the following groups:












whereby in each case X denotes the position by which the respective substituent W^b is bonded to the -SO_2 group of formula (Ib).

70. (New) A benzoxazinone-derived sulfonamide compound of formula (I)



(I),

wherein

R^1 , R^2 , R^3 , R^4 are each independently selected from the group consisting of hydrogen, halogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, $-OR^{10}$, $-OC(=O)R^{11}$, $-(C=O)-OR^{11}$, $-SR^{12}$, $-SOR^{12}$, $-SO_2R^{12}$, $-NH-SO_2R^{12}$, $-SO_2NH_2$ and a $-NR^{13}R^{14}$ moiety,

R^5 represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical,

R^6 , R^7 , R^8 , R^9 are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, a cyano group and a $-COOR^{15}$ moiety,

W represents an unbranched or branched, saturated or unsaturated optionally at least mono-substituted aliphatic radical,

a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted aromatic mono- or polycyclic ring-system,

an optionally at least mono-substituted heteroaryl radical, which may be bonded via an optionally mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

an optionally at least mono-substituted, monocyclic aryl radical, which is condensed with an optionally at least mono-substituted mono- or polycyclic ring-system and which may be bonded via an optionally at least mono-substituted alkylene group,

a $-NR^{16}R^{17}$ -moiety,

a $-COR^{18}$ -moiety,

or a phenyl radical, which is at least mono-substituted with one of the substituents selected from the group consisting of:

2,2,2,-Trifluoroethoxy-, C₂₋₆-Alkenyl-, 1,3-Dihydro-1-oxo-2H-isoindol-2-yl-, N-Phthalimidinyl-, [(2-chloro-1,3-thiazolyl-5-yl)-methoxy, Ethyl-5-yl-2-methyl-3-furoate, C₁₁₋₂₀-alkyl-, 1,3-Dioxo-2-azaspiro[4,4]non-2-yl-, pyrazolyl-, (1,3-oxazol-5-yl)-, (5-Methyl-1,3,4-oxadiazol-2-yl)-, difluoromethoxy, dichloromethoxy, 1-pyrrolidinylsulfonyl, morpholinosulfonyl, 2-methyl-4-pyrimidinyl-, a phenoxy group, which is at least mono-substituted with C₁₋₅-alkoxy, a phenyl group, which is at least mono-substituted with one of the substituents selected from the group consisting of nitro, C₁₋₅-alkoxy, F, Cl, Br, at least partially fluorinated C₁₋₅-alkyl, at least partially chlorinated C₁₋₅-alkyl, [(2-Chloro-1,3-thiazol-5-yl)-methoxy]-, -(C=O)-H and -(C=O)-C₁₋₅-alkyl, a pyridinyl group, which is at least mono-substituted with C₁₋₅-alkoxy, a pyridinyloxy group, which is at least mono-substituted with C₁₋₅-alkoxy, a phenoxy group, which is at least di-substituted and a pyridinyloxy group, which is at least di-substituted,

with the proviso that W does not represent unsubstituted furyl-, unsubstituted thienyl- or thienyl substituted with a substituent selected from the group consisting of C₁₋₅-alkoxycarbonyl, C₁₋₅-alkylcarbonyl, carboxyl and pyridyl, unsubstituted pyrrolyl-, unsubstituted naphthyl, unsubstituted indolyl, unsubstituted tetrahydronaphthyl, substituted or unsubstituted pyridyl, unsubstituted pyrazinyl, unsubstituted quinolinyl-, C₁₋₅-alkylsubstituted pyrrolyl-, and unsubstituted cyclohexyl or cyclohexyl substituted with one or two members selected from the group consisting of oxo, hydroxyl, C₁₋₅-alkoxyl, C₁₋₅-alkoxy-carbonylamino-C₁₋₅ alkyl and amino-C₁₋₅ alkyl,

R¹⁰ represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one

heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R¹¹ represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R¹² represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R¹³ and R¹⁴ each are independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally

at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

or R¹³ and R¹⁴ together with the bridging nitrogen atom form a saturated, unsaturated or aromatic heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member,

R¹⁵ represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R¹⁶ represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R¹⁷ represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, and

R¹⁸ represents an optionally at least mono-substituted aryl radical,

with the proviso that the compound of formula (I) is not 1[[[(7,7-dimethyl-2-oxobicyclo[2.2.1]hept-1-yl)methyl]sulfonyl]-4-(2-oxo-2H-3,1-benzoxazin-1(4H)-yl)-piperidine.

optionally in form of one of its stereoisomers, its racemate or in form of a mixture of at least two of its stereoisomers, in any mixing ratio, or a corresponding salt thereof.

71. (New) The compound according to claim 70, wherein W represents an unbranched or branched, optionally at least mono-substituted C₁₁₋₂₀-alkyl radical; a naphthyl group, which is at least mono substituted; a quinoliny group, which is at least mono-substituted; a pyrrolyl group, which is at least mono-substituted by a substituent other than C₁₋₅-alkyl; an optionally at least mono-substituted thiazolyl-, benzo[b]-thiophenyl-, benzo[b]-furanyl-, isoquinoliny-, tetrahydroisoquinoliny-, pyrazolyl-, isoxazolyl-, chromanyl-, benzothiadiazolyl-, imidazolyl-, benzofurazanyl-, dibenzo[b,d]-furanyl-, benzoxadiazolyl-, imidazo[2,1-b]-thiazolyl-, anthracenyl-, coumarinyl-, 2,3-Dihydro-1,4-benzodioxinyl-, 2,3-Dihydrobenzo[b]furanyl-, 3,4-Dihydro-2H-1,4-Benzoxazinyl-, 3,4-Dihydro-2H-1,5-Benzodioxepinyl-, Benzothiazolyl-, Imidazo[1,2-a]-pyridinyl-, a chromonyl- group, an isatinyl group, a pentamethyldihydrobenzofuranyl group; an optionally at least mono-substituted cyclopropyl- or cyclopentyl-group; a 2-(1,3-Dioxo-1,3-dihydro-isoindol-2-yl)-ethyl; a thienyl group, which is at least mono-substituted by one or more substituents independently selected from the group consisting of F, Cl, Br, C₁₋₅-alkoxy-, CF₃-, SO₂-C₁₋₅-alkyl and optionally at least mono substituted benzoylaminomethyl-, phenylsulfonyl-, isoxazolyl-, benzamidomethyl-, pyrimidyl-, thiazolyl-, pyrazolyl-, phenyl-, 1,2,4-thiadiazolyl-, 1,3-oxazolyl- or 1,2,4-oxadiazolyl-; a furyl group, which is at least mono-substituted by one or more substituents independently selected from the group consisting of a C₁₋₅-alkyl radical, which may be at least partially fluorinated or chlorinated, an optionally at least mono-substituted phenyl and a -(C=O)-O-C₁₋₅-alkyl group;


a NR¹⁵R¹⁷-moiety;

a COR¹⁸-moiety;

or a phenyl radical, which is at least mono-substituted with one of the substituents selected from the group consisting of:

2,2,2,-Trifluoroethoxy-; C₂₋₆-Alkenyl-; 1,3-Dihydro-1-oxo-2H-isoindol-2-yl-; N-Phthalimidinyl-; [(2-chloro-1,3-thiazolyl-5-yl)-methoxy; Ethyl-5-yl-2-methyl-3-furoate; C₁₁₋₂₀-alkyl-; 1,3-Dioxo-2-azaspiro[4,4]non-2-yl-; pyrazolyl-; (1,3-oxazol-5-yl)-; (5-Methyl-1,3,4-oxadiazol-2-yl)-; difluoromethoxy; dichloromethoxy; 1-pyrrolidinylsulfonyl; morpholinosulfonyl; 2-methyl-4-pyrimidinyl-; a phenoxy group, which is at least mono-substituted with C₁₋₅-alkoxy; a phenyl group, which is at least mono-substituted with one of the substituents selected from the group consisting of nitro, C₁₋₅-alkoxy, F, Cl, Br, at least partially fluorinated C₁₋₅-alkyl, at least partially chlorinated C₁₋₅-alkyl; [(2-Chloro-1,3-thiazol-5-yl)-methoxy]-; -(C=O)-H and -(C=O)-C₁₋₅-alkyl; a pyridinyl group, which is at least mono-substituted with C₁₋₅-alkoxy; a pyridinyloxy group, which is at least mono-substituted with C₁₋₅-alkoxy; a phenoxy group, which is at least di-substituted; and a pyridinyloxy group, which is at least di-substituted.

72. (New) A benzoxazinone-derived sulfonamide compound of formula (Ib),



(Ib)

wherein

R^{1b} , R^{2b} , R^{3b} , R^{4b} are each independently selected from the group consisting of hydrogen, halogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, $-OR^{10b}$, $-OC(=O)R^{11b}$, $-(C=O)-OR^{11b}$, $-SR^{12b}$, $-SOR^{12b}$, $-SO_2R^{12b}$, $-NH-SO_2R^{12b}$, $-SO_2NH_2$ and a $-NR^{13b}R^{14b}$ moiety,

R^{5b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical,

R^{6b} , R^{7b} , R^{8b} , R^{9b} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, a cyano group and a $-COOR^{15b}$ moiety,

W^b represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted aromatic mono- or polycyclic ring-system,

an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, a $\text{NR}^{16\text{b}}\text{R}^{17\text{b}}$ -moiety or a $\text{COR}^{18\text{b}}$ -moiety,

$\text{R}^{10\text{b}}$ represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

$\text{R}^{11\text{b}}$ represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{12b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{13b} and R^{14b} each are independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

or R^{13b} and R^{14b} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member,

R^{15b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be

condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{16b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{17b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{18b} represents an optionally at least mono-substituted aryl radical,

with the proviso that the compound of formula (Ib) is not 1[[(7,7-dimethyl-2-oxobicyclo[2.2.1]hept-1-yl)methyl]sulfonyl]-4-(2-oxo-2H-3,1-benzoxazin-1(4H)-yl)-piperidine.

optionally in form of one of its stereoisomers, its racemate or in form of a mixture of at least two of its stereoisomers in any mixing ratio, or a physiologically acceptable salt thereof, respectively.

73. (New) The compound according to claim 72, wherein W^b represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₂₀ aliphatic radical; a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈ cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system; an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system; a NR^{16b}R^{17b}-moiety; or a COR^{18b}-moiety.

74. (New) The compound according to claim 72, selected from the group consisting of:

1-[1-(Naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Toluene-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-(1-Phenylmethanesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-(1-Benzenesulfonyl-piperidin-4-yl)-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(toluene-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-(1-phenylmethanesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(5-chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Acetyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
2-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile,
1-[1-(2,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Naphthalen-1-yl-ethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Acetyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

2-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile,
1-[1-(2,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Methoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(2-naphthalen-1-yl-ethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonic acid dimethylamide,
2-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid methyl ester,
1-[1-(3-Trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
2-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid methyl ester,
8-Methyl-1-[1-(3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Acetyl-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
2-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile,
6-Chloro-1-[1-(4-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
2-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid methyl ester,
6-Chloro-1-[1-(2,4-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-{1-[4-(4-Bromo-phenoxy)-benzenesulfonyl]-piperidin-4-yl}-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-(1-phenylmethanesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Butane-1-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Butane-1-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(2-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

8-Methyl-1-[1-(4-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-(1-Ethanesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Propane-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Propane-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-(1-ethanesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(propane-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(propane-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(2-naphthalen-1-yl-ethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(toluene-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

6-Methyl-1-[1-(4-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-(1-Benzenesulfonyl-piperidin-4-yl)-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(5-Dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(5-dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Methoxy-2,3,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Methoxy-2,3,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-methoxy-2,3,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Methoxy-2,3,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2-Bromo-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,

6-Chloro-1-[1-(2,3-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,3-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,4,5-Trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(2,4,5-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2,4,5-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(2,4,5-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(5-Bromo-2-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(5-Bromo-2-methoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Bromo-2-methoxy-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Bromo-2-methoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2,5-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-(1-Pentamethylbenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
8-Methyl-1-(1-pentamethylbenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,

6-Chloro-1-(1-pentamethylbenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-(1-pentamethylbenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-{1-[2-(2,2,2-Trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-{1-[2-(2,2,2-trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-{1-[2-(2,2,2-trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-{1-[2-(2,2,2-trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Methyl-5-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(2-methyl-5-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2-methyl-5-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(2-methyl-5-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-2,5-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-2,5-dimethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

6-Chloro-1-[1-(4-chloro-2,5-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-2,5-dimethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Methoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Isopropyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Isopropyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-isopropyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Isopropyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3-Chloro-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3-Chloro-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3-chloro-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3-Chloro-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(3-Fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,4,6-Trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2-Trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(4-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(2-nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3-Fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(2,4,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(2-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3-Nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-
2-one,
1-[1-[4-(4-Bromo-phenoxy)-benzenesulfonyl]-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3-Methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2-Nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-
2-one,

8-Methyl-1-[1-(toluene-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-(1-Benzenesulfonyl-piperidin-4-yl)-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3-Methoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-{1-[4-(4-Bromo-phenoxy)-benzenesulfonyl]-piperidin-4-yl}-6-methyl-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(Toluene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-
one,
1-[1-(5-Fluoro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Isopropoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3-Chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3,4-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-(1-Pentafluorobenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(toluene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(5-Fluoro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-
dihydrobenzo[d][1,3] oxazin-2-one,
1-[1-(4-Isopropoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3] oxazin-2-one,
1-[1-(3-Chloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,

1-[1-(3,4-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3] oxazin-2-one,
8-Methyl-1-(1-pentafluorobenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(toluene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(5-Fluoro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Isopropoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3-Chloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3,4-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Methyl-1-(1-pentafluorobenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(4-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(2-nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3-Fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(2,4,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(2-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3-Methoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(2-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,

1-[1-(4-Acetyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Methyl-1-(1-phenylmethanesulfonyl-piperidin-4-yl)-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
2-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-
sulfonyl]benzoic acid methyl ester,
6-Methyl-1-[1-(2-oxo-2H-chromene-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3,5-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-{1-[4-(4-Bromo-phenoxy)-benzenesulfonyl]-piperidin-4-yl}-6-chloro-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2-oxo-2H-chromene-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(toluene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(5-fluoro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-isopropoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3,4-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,

6-Chloro-1-(1-pentafluorobenzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2-nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2,4-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2,4,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2-Oxo-2H-chromene-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(5-Bromo-6-chloro-pyridine-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,6-Dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(2-oxo-2H-chromene-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,

1-[1-(5-Bromo-6-chloro-pyridine-3-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,6-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2,5-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Bromo-6-chloro-pyridine-3-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2,6-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
2-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile,
1-[1-(2,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Bromo-6-chloro-pyridine-3-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,6-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(5-Bromo-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(1-Methyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Bromo-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(6-Chloro-imidazo[2,1-b]thiazole-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Ethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(6-Chloro-imidazo[2,1-b]thiazole-5-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Ethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(6-chloro-imidazo[2,1-b]thiazole-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-ethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(6-Chloro-imidazo[2,1-b]thiazole-5-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Ethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(7-Chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Methoxy-4-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
3-{4-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-propionic acid methyl ester,
1-[1-(2,4-Dinitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(7-Chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Methoxy-4-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
3-{4-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-propionic acid methyl ester,
1-[1-(2,4-Dinitro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(7-Chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Methoxy-4-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
3-{4-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-propionic acid methyl ester,
1-[1-(2,4-Dinitro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(7-chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2-methoxy-4-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
3-{4-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-propionic acid methyl ester,
6-Chloro-1-[1-(2,4-dinitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

6-Chloro-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Bromo-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Bromo-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,5-Difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,5-Difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,5-Difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-chloro-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(2,4,5-Trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(2,4,5-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2,4,5-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(2,4,5-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3,5-Dichloro-2-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,6-Difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,6-Difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,6-Difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(5-chloro-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2-Chloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,

1-[1-(2-Chloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2-naphthalen-1-yl-ethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(toluene-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,4-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2-naphthalen-1-yl-ethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(5-chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-
1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-(1-Benzenesulfonyl-piperidin-4-yl)-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-
2-one,
6-Bromo-1-[1-[4-(4-bromo-phenoxy)-benzenesulfonyl]-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2-methyl-5-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-bromo-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,

6-Bromo-1-[1-(toluene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(5-fluoro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-isopropoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(3-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(3,4-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-(1-pentafluorobenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-chloro-2,5-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(3-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-isopropyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(3-chloro-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-(1-pentamethylbenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(5-dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,

1-[1-(4-Acetyl-benzenesulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-(1-phenylmethanesulfonyl-piperidin-4-yl)-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,5-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-{1-[2-(2,2,2-trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-
sulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,3-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,4,5-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(5-bromo-2-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2-nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(3-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,4-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,4,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2-bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,

6-Bromo-1-[1-(4-methoxy-2,3,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,5-Dichloro-4-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,5-Dichloro-4-hydroxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3,5-dichloro-4-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,5-Dichloro-4-hydroxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(3,5-dichloro-4-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3,5-dichloro-2-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(3,5-dichloro-2-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
2-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile,
6-Bromo-1-[1-(4-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
2-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid methyl ester,
6-Bromo-1-[1-(3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2-oxo-2H-chromene-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(3,5-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,5-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(5-bromo-6-chloro-pyridine-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

6-Bromo-1-[1-(4-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,6-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(5-bromo-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-ethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(6-chloro-imidazo[2,1-b]thiazole-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(7-chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2-methoxy-4-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
3-{4-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-propionic acid methyl ester,
6-Bromo-1-[1-(2,4-dinitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-chloro-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,4,5-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

6-Bromo-1-[1-(5-chloro-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,3,4-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
N-{4-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-2-chloro-phenyl}-acetamide,
1-[1-(2,3,4-Trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(2,3,4-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2,3,4-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(2,3,4-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
N-{2-Chloro-4-[4-(6-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-acetamide,
1-[1-(3,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(3,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
N-{2-Chloro-4-[4-(8-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-acetamide,
1-[1-(2-Chloro-4,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(2-Chloro-4,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2-chloro-4,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Chloro-4,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2-chloro-4,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
N-{2-Chloro-4-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-acetamide,
1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
N-{2-Chloro-4-[4-(6-chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl}-acetamide,
1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-(1-Ethanesulfonyl-piperidin-4-yl)-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(propane-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3,4-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(3,4-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(propane-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Chloro-6-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Chloro-6-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2-chloro-6-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(2-Chloro-6-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Chloro-6-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(2,3,5,6-tetramethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,3,4-Trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(2,3,4-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2,3,4-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(2,3,4-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,3,4-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,3,5,6-Tetramethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2,3,5,6-tetramethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,4,6-Trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

8-Methyl-1-[1-(2,4,6-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2,4,6-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(2,4,6-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,4,6-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(2,3,5,6-tetramethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Bromo-4,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Bromo-4,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Bromo-4,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2-bromo-4,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2,3,5,6-tetramethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-2-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-2-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-2-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-2-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-bromo-2-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Phenoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(3-Bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3-Bromo-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(3-bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(4-phenoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-tert-Butyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-tert-Butyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-tert-Butyl-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-tert-Butyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-tert-butyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-phenoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2-Bromo-4,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,

6-Bromo-1-[1-(2-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3-Chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3-chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3-Chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(3-chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-butyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,

6-Bromo-1-[1-(4-bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-{1-[4-(1,1-Dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl}-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-{1-[4-(1,1-dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-{1-[4-(1,1-Dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl}-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-{1-[4-(1,1-dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-(1-Ethenesulfonyl-piperidin-4-yl)-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
3-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid,
3-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid,
3-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid,
1-[1-(3-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(3-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
N-{4-Methyl-5-[4-(8-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiazol-2-yl}-acetamide,
N-{5-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-methyl-thiazol-2-yl}-acetamide,
N-{4-Methyl-5-[4-(6-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiazol-2-yl}-acetamide,

N-{5-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-methyl-thiazol-2-yl}-acetamide,
1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(2-bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(5-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(5-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3-Chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-{1-[4-(1,1-Dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

N-{4-Methyl-5-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiazol-2-yl}-acetamide,

1-[1-(3-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(5-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(Isoquinoline-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

6-Fluoro-1-[1-(2-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

6-Fluoro-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(3-Chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-{1-[4-(1,1-Dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl}-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

N-{5-[4-(6-Fluoro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-methyl-thiazol-2-yl}-acetamide,

1-[1-(3-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Fluoro-1-[1-(isoquinoline-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Fluoro-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Fluoro-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Fluoro-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methoxy-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methoxy-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methoxy-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(2-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(3-chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-{1-[4-(1,1-dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl}-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
N-{5-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-methyl-thiazol-2-yl}-acetamide,
5-Chloro-1-[1-(3-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(5-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(isoquinoline-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3-Chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-[4-(1,1-Dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
N-{5-[4-(8-Methoxy-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-methyl-thiazol-2-yl}-acetamide,
1-[1-(3-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Isoquinoline-5-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one; hydrochloride,
1-[1-(4-Methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Fluoro-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methoxy-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

5-Chloro-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(5-chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-
1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Bromo-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
2-Chloro-4-fluoro-5-[4-(8-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-
piperidine-1-sulfonyl]-benzoic acid,
2-Chloro-5-[4-(6-chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-
sulfonyl]-4-fluoro-benzoic acid,
2-Chloro-4-fluoro-5-[4-(6-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-
piperidine-1-sulfonyl]-benzoic acid,
2-Chloro-4-fluoro-5-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-
sulfonyl]-benzoic acid,
2-Chloro-4-fluoro-5-[4-(8-methoxy-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-
piperidine-1-sulfonyl]-benzoic acid,
2-Chloro-5-[4-(5-chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-
sulfonyl]-4-fluoro-benzoic acid,
3-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid,
3-[4-(8-Methoxy-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-
benzoic acid,
3-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-
benzoic acid,
1-[1-(Isoquinoline-5-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one; hydrochloride,

6-Chloro-1-[1-(isoquinoline-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one; hydrochloride,
-[1-(Isoquinoline-5-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one; hydrochloride,
6,7-Difluoro-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6,7-Difluoro-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6,7-Difluoro-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(7-Chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6,7-Difluoro-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(Dibenzofuran-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,3-Dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Dibenzofuran-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,3-Dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(4-chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(4-fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(dibenzofuran-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(2,3-dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(5-isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(4-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(Dibenzofuran-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,3-Dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(5-Isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(dibenzofuran-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(2,3-dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(5-isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(4-Fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(Dibenzofuran-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,3-Dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,

1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(5-Isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6,7-Difluoro-1-[1-(4-fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(Dibenzofuran-2-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(2,3-Dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6,7-Difluoro-1-[1-(5-isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(5-Methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-
benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(1,2-dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-
dihydro-benzo[d][1,3]oxazin-2-one,

6-Chloro-1-[1-(3,5-dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methoxy-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(1,2-dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(3,5-dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Fluoro-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6,7-Difluoro-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(5-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
N-{5-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-acetamide,
1-[1-(5-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
N-{5-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-acetamide,
5-Chloro-1-[1-(5-chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(5-chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
N-{5-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-acetamide,
1-[1-(5-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
N-{5-[4-(8-Methoxy-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-acetamide,
2,5-Dimethyl-4-[4-(8-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-furan-3-carboxylic acid methyl ester,
8-Methyl-1-[1-(2-oxo-2,3-dihydro-benzothiazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Fluoro-3-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(4-Cyclohexyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
2,5-Dimethyl-4-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-furan-3-carboxylic acid methyl ester,
1-[1-(4-Fluoro-3-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Cyclohexyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
2-Fluoro-5-[4-(8-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid,
2-Fluoro-5-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid,
1-[1-(2-Oxo-2,3-dihydro-benzothiazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Pyridin-2-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
3-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile,
3-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiophene-2-carboxylic acid methyl ester,
1-[5-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl]-pyrrolidine-2,5-dione,
1-[1-(2-Chloro-5-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(5-pyridin-2-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
3-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile,
3-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiophene-2-carboxylic acid methyl ester,

1-{5-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-pyrrolidine-2,5-dione,
1-[1-(2-Chloro-5-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(5-pyridin-2-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
3-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile,
3-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiophene-2-carboxylic acid methyl ester,
1-{5-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-pyrrolidine-2,5-dione,
5-Chloro-1-[1-(2-chloro-5-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(3,4-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(5-pyridin-2-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
3-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile,
3-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiophene-2-carboxylic acid methyl ester,
1-{5-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-pyrrolidine-2,5-dione,
1-[1-(2-Chloro-5-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(5-pyridin-2-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

3-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile,
3-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiophene-2-carboxylic acid methyl ester,
1-{5-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl}-pyrrolidine-2,5-dione,
6-Chloro-1-[1-(2-chloro-5-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3,4-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Methyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,2-Dimethyl-chroman-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(4-Methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,3-Dihydro-benzo[1,4]dioxine-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(1,3,5-Trimethyl-1H-pyrazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(3-Methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(5-methyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,2-Dimethyl-chroman-6-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,3-Dihydro-benzo[1,4]dioxine-6-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methyl-1-[1-(1,3,5-trimethyl-1H-pyrazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

8-Methyl-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methoxy-1-[1-(1,3,5-trimethyl-1H-pyrazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methoxy-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(Benzo[d]isoxazol-3-ylmethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,2,4,6,7-Pentamethyl-2,3-dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-5-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-1H-pyrimidine-2,4-dione,
1-[1-(3-Methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,2,5,7,8-Pentamethyl-chroman-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1,4-Dimethyl-6-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-1,4-dihydro-quinoxaline-2,3-dione,
1-[1-(1H-Imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2-Oxo-1,2,3,4-tetrahydro-quinoline-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
7-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-1,5-dihydro-benzo[b][1,4]diazepine-2,4-dione,
8-Methyl-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methoxy-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(Pyridine-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(6,7-Dihydroxy-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
Acetic acid 3-acetoxy-5-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-2-yl ester,
1-[1-(1H-Benzoimidazole-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(1H-Benzoimidazole-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(1H-Benzoimidazole-2-sulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(2,5-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(5-dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(5-chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(5-chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(5-Chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
1-[1-(5-Chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Fluoro-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6,7-Difluoro-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Fluoro-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6,7-Difluoro-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
5-Chloro-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Chloro-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Methyl-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
6-Fluoro-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,
8-Methoxy-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one, and
5-Chloro-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one.